

Ice-Flake Maker F 125



- ▶ Ice flake production: 120 kg / 24 hours
- ▶ Storage tank: 27 kg

Description

The high-performance ice flake maker is ideal for presenting food on fresh food counters or buffets.

Features

• Height-adjustable feet:	Yes
• Height adjustable:	1000 mm to 1010 mm
• Water outlet:	Ø 20 mm
• Power load:	0,49 kW 230 V 50 Hz
• Water connection:	3/4"
• Production by means of:	Vertical stainless steel cylinder with augur system
• Production max.:	120 kg / 24 h
• Coolant:	R134a / 0,400 kg
• Cooling:	Air cooled
• Storage container capacity:	27 kg
• Properties:	-
• Material:	CNS 18/10
• Colour:	Silver
• Important information:	Clearance to all sides at least 15 cm
• Climate class:	SN
• Control lamp:	yes
• ON/OFF switch:	Yes

▶ Continue on the next page

Ice-Flake Maker F 125

- Control unit: Knob
- Including: 1 ice shovel
- Can be installed: Yes
- Filling level sensor: Yes
- Size: W 680 x D 510 x H 1,000 mm
- Weight: 60.6 kg



Ice-Flake Maker F 125

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195

Partial desalination system TKD 13400 FB



- Desalination type: Partial desalination
- Water connection: 3/4"
- Material: Plastic
Glass-fibre reinforced
- Sampling tap: Yes
- Colour: Blue
- Important information: -

Code-No. 109878
GTIN 4015613681597