Bartscher
www.bartscher.com

Low-temperature cooker 1,2kW





- Drawers up to 3 x 1/1 GN or 600 x 400 mm
- Distance between the drawers: 80 mm

- COOK function
  - ✓ Low temperature cooking up to max. 110 °
- HOLD function
  - ✓ Holding at a precise temperature

- Core temperature sensor

- Bearing rails can be detached

Description

Cooking and keeping warm in one – gentle preparation thanks to even heat that comes from all sides.

Features

• Power load:	1,2 kW | 230 V | 50 Hz
• Temperature range:	30 °C to 110 °C
• Control unit:	Electronic
• Number of drawers:	3
• Distance between trays:	80 mm
• Properties:	Rounded baking chamber Pluggable Bearing rails can be detached
• Door hinge side can be changed:	Yes
• Carrying handle:	Yes
• Door hinge side:	Left
• Temperature control:	Stepless
• Digital display:	Yes
• Format drawers:	1/1 GN 600 x 400 mm
• Material:	Stainless steel
• Important information:	-

Continue on the next page

Subject to technical modifications and errors.

Code-No. 120792
GTIN 4015613525822

www.bartscher.com

Low-temperature cooker 1,2kW



• Functions:	Low temperature cooking HOLD function - for keeping warm at a precise temperature COOK function - for low-temperature cooking up to max. 110 °C
• Control lamp:	Heat up ON/OFF Temperature Core temperature Steaming Keeping warm
• Type of drawers:	Longitudinal
• Including:	1 core temperature sensor 1 pair of bearing rails for metal sheets 600 x 400
• Size:	W 505 x D 715 x H 415 mm
• Weight:	42.2 kg

Subject to technical modifications and errors.

Low-temperature cooker 1,2kW

Add on Products

Grease drip container 600 x 400



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 605 x D 405 x H 45 mm
- Weight: 2.8 kg

Code-No. 525782
GTIN 4015613658414

GN container, 1/1, D20



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm
- Gastronorm: 1/1 GN

Code-No. A121025
GTIN 4016098166722

GN container, 1/1, D40



- Content: 5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 40 mm

Code-No. A121040
GTIN 4015613271064

GN container, 1/1, D65



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065
GTIN 4016098162755

Subject to technical modifications and errors.

Low-temperature cooker 1,2kW

Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Subject to technical modifications and errors.

Low-temperature cooker 1,2kW

Add on Products

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712


Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743


Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427
GTIN 4015613734750

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428
GTIN 4015613734767

Subject to technical modifications and errors.