

# Cupboard 700, W1800



### Description

### Features

Height-adjustable feet: Yes
Load-bearing capacity intermediate shelf, max.: 77 kg
Material: Stainless steel

• Important information:

• Tilting:

• Size inside: W 1797 x D 620 x H 580 mm

Load-bearing capacity worktop, max.:
Design inside:
Available on request:
223 kg
2-partitions
Special production

The list price corresponds to the next higher standard dimension

Size work surface: W 1800 x D 700 mm
Door hinge side can be changed: No

Door hinge side can be changed:

 Height adjustable:
 Material work surface:
 Delivery state:
 Type of door:
 Design intermediate shelf:

No
Sto mm to 900 mm
Stainless steel
Permanently mounted
Sliding door(s)
Full-surface

▶ Continue on the next page







# Cupboard 700, W1800

• Intermediate shelf:

• Size: • Weight:

Height-adjustable immediate shelves:Properties:

40 mm edges turned down

Feet in square tubing 40 x 40 mm

Scotch-Brite sanding

W 1,800 x D 700 x H 850 mm







### Cupboard 700, W1800

## Add on Products

### Stainl.steel polish.spray 500ml can

• Content / can:

· Application:

Remove heavy soiling such as grease residue

Do not spray onto hot surfaces

• allow them to cool down first:

· Application:

Before use, bring the can to room temperature and shake well

### **Swivel castors 4AW**



• Swivel casters: 4 swivel casters, 2 with brake

• Important information:

• Diameter casters: 125 mm • Load-bearing capacity max., each: 150 kg

• Material: Stainless steel

Rubber

Code-No. 308242 GTIN 4015613600307

### Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content:

2 x 1 litre

• Model:

Liquid . High concentrate

• Ph level:

13,5

Code-No. 173078 GTIN 4015613731926