

Cupboard, W1000, SB, SID, IS



Description

Features

- Height-adjustable feet: Yes
- Available on request: Special production
The list price corresponds to the next higher standard dimension
- Door hinge side can be changed: Yes
- Height adjustable: 850 mm to 900 mm
- Type of door: Sliding door(s)
- Design intermediate shelf: Full-surface
- Intermediate shelf: yes
- Height-adjustable immediate shelves: Yes
- Properties: 40 mm edges turned down
Feet in square tubing 40 x 40 mm
Scotch-Brite sanding
Stainless steel
- Material: -
- Important information: 40 mm
- Tilting: 2-partitions
- Design inside: W 1000 x D 700 mm
- Size work surface:

► Continue on the next page

Cupboard, W1000, SB, SID, IS

- Material work surface: Stainless steel
- Load-bearing capacity intermediate shelf, max.: 130 kg
- Load-bearing capacity worktop, max.: 315 kg
- Size inside: W 997 x D 620 x H 580 mm
- Delivery state: Permanently mounted
- Size: W 1,000 x D 700 x H 850 mm
- Weight: 59.2 kg



Cupboard, W1000, SB, SID, IS

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195

Swivel castors 4AW



- Swivel castors: 4 swivel castors, 2 with brake
- Important information: -
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 150 kg
- Material: Stainless steel
Rubber

Code-No. 308242
GTIN 4015613600307

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926