

Ceramic glass stove, 4 HTzon., OBU



- ▶ 4 hobs
- ✓ Output, each: 4 kW
- ✓ Diameter, each: 265 mm
- ▶ Simple operation: very large toggles with a good grip and legible labels

Description

The 900 Master series and its high-quality and solid stainless steel version in CNS 18/10 is the ideal choice for modern professional kitchens with high standards. First-rate, flexible and highperformance.

Features

• Sub-counter unit type:

Material:

• Important information:

• Power load:

• Height-adjustable feet:

Properties:

• Height adjustable:

• Equipment connection: • Distribution of hobs:

• Material hob:

· Large hobs: Including:

• Series:

• Operating mode: • Type of hobs:

· Number of hobs:

Open

Upright unit CNS 18/10

16 kW | 400 V | 50/60 Hz

Yes

900 mm to 950 mm

3 NAC 4 x 4 kW

Glass 4 x Ø 265 mm

900

Electro Glass ceramic

▶ Continue on the next page







Ceramic glass stove, 4 HTzon., OBU

• Size: • Weight: W 800 x D 900 x H 900 mm

61.6 kg







Ceramic glass stove, 4 HTzon., OBU Add on Products

Drawer 900, W400, set of 2





2 drawers

• Number of drawers:

• Set comprises:

 Size inside: W 310 x D 525 x H 95 mm 900 Master

• Series:

• With plastic inserts: No • Norm-format drawers:

• GN-capable: No

Code-No. 296401

Swivel castors 4S900



 Swivel casters: 4 swivel casters, 2 with brake

• Diameter casters: 125 mm • Load-bearing capacity max., each: 100 kg

• Material: Plastic

Rubber coated

• Important information:

Power cleaner F1L, set of 2



• Designed for: Stubborn dirt, especially in kitchens

Grill and combi steamer cleaning (without

cleaning system)

• Content: • Model:

• Ph level:

2 x 1 litre Liquid

. High concentrate

13,5

Code-No. 173078 GTIN 4015613731926

Intensive power cleaner F1L, set of 2



1 box (2 bottles)

• Order quantity unit:

• Content: 2 x 1 litre 14

• Ph level:

• HACCP compliant: Yes

• Chlorine-free: Yes Phosphate-free: Yes

• Including: 1 spray head

Code-No. 173080 GTIN 4015613731933



Ceramic glass stove, 4 HTzon., OBU **Add on Products**

