

## Tilting frying pan G80LHK



- ▶ Pan made of CNS
  - ✓ Contents: 80 litres
  - ✓ Water intake fitting
- ▶ Temperature range: 100 °C to 300 °C
- ▶ Gas heating by tube burner made of stainless steel
- ▶ Safety system with thermo element



- ▶ Manual tilt device

## Description

## Features

• Gas type:	Natural gas H
• Temperature range:	100 °C to 300 °C
• Material:	CNS 18/10
• Gas type:	Liquid gas nozzles (50 mbar) are enclosed
• Pilot flame:	Yes
• Important information:	-
• Ignition type:	Piezo ignition
• Content:	80 litre(s)
• Useful content:	70 litre(s)
• Series:	-
• Water connection:	12 mm
• Water supply tap:	Yes
• Material crucible:	Chrome-nickel steel
• Size crucible:	W 798 x D 570 x H 200 mm
• Tilting device:	Manual
• Height-adjustable feet:	Yes
• Height adjustable:	850 mm to 910 mm

▶ Continue on the next page

## Tilting frying pan G80LHK

- Properties: Gas heater with stainless steel tube burner  
Safety system with thermal element
- Operating mode: Gas
- Connected load gas: 22 kW
- Size: W 900 x D 900 x H 900 mm
- Weight: 162.6 kg



## Tilting frying pan G80LHK

### Add on Products

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080  
GTIN 4015613731933