

Chafing dish 1/1 Flexible



- ▶ Infinite possibilities
 - ✓ The chafing dish can be used in combination with an external hob
 - ✓ Capacity: 8.5 litres
 - ✓ 1 GN container 1/1 GN, 65 mm deep
- ▶ Be it induction or glass ceramic
 - ✓ The temperature in the chafing dish can be controlled via the external hob
- ▶ Soft-Close mechanism
- ▶ Removable lid with window
- ▶ Lift-up device
 - ✓ Easy removal of the GN container

Description

Using this chafing dish in combination with an induction or glass ceramic hob offers unlimited possibilities. This allows the temperature in the chafing dish to be controlled via the external hob.

Features

- Content: 8,5 litre(s)
- Stackable: No
- With handle(s): No
- Colour: Silver
- GN-capable: Yes
- Including: 1 GN container 1/1 GN 65 mm deep, stainless steel
- Functions: Keeping warm
- Material: Stainless steel
- Heating type: External, via level induction or glass ceramic installed hob
- Gastronorm: 1/1 GN
- Depth GN container max.: 65 mm
- Lid properties: With window
Soft-Close mechanism (hydraulic lid hinge)
Detachable, with handle
- Important information: An external hob is required to use the device
- Properties: Heat control via external hob
Lift-up device for GN containers

▶ Continue on the next page

Chafing dish 1/1 Flexible

- Material handle(s): Stainless steel
Chrome-plated
- Material lid: Stainless steel
Chrome-plated
Glass
- Size: W 580 x D 420 x H 205 mm
- Weight: 7 kg



Chafing dish 1/1 Flexible Add on Products

Built-in induction cooker IK 35-EB



- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Intervals temperature setting: 20 °C
- Output hob(s) max.: 3500 W
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable

Code-No. 105829
GTIN 4015613682853

Induction warming plate IW10-EB



- Power load: 1 kW | 230 V | 50 Hz
- Material: Stainless steel
- Important information: -
- Equipment connection: Pluggable
- Temperature range: 40 °C to 100 °C
- Control unit: Electronic Touch

Code-No. 114367
GTIN 4015613715704

Induction warming plate IW10-EBBF



- Warming station diameter: 280 mm
- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Electronic Touch
- Control lamp: Operational

Code-No. 105996
GTIN 4015613715421

Salt shaker 300



- Order quantity unit: 1 box (6 salt shaker)
- Design: With screw-on lid
- Material: Aluminium
- Important information: -

Code-No. 680654
GTIN 4015613758374