

## Griddle plate GDP 650E-GR



### Description

### Features

- Heating zones can be controlled separately: Yes
- Power load: 6 kW | 400 V | 50 Hz
- Type: Table-top unit
- Safety thermostat: Yes
- Temperature range: 50 °C to 300 °C
- Series: -
- Number of heating zones: 2
- Size heating surface: W 650 x D 480 mm
- Roasting surface design: 1/2 smooth, 1/2 ribbed
- Including: 2 cleaning scraper
- Operating mode: Electro
- Material: CNS 18/10
- Important information: -
- Material roasting surface: Steel
- Control lamp: Operational
- Properties: Grease collection tank  
Backsplash welded on

▶ Continue on the next page

## Griddle plate GDP 650E-GR

- Equipment connection: 3 NAC
- Size: W 660 x D 580 x H 310 mm
- Weight: 40 kg



## Griddle plate GDP 650E-GR Add on Products

### Grill attachment GDP 320/650E



STAINLESS  
STEEL



- Temperature range: 50 °C to 220 °C
- Material roasting surface: Non-stick film, replaceable
- Size heating surface: W 325 x D 480 mm
- Roasting surface design: Smooth
- Total height with griddle plate: Closed 490 mm, open 810 mm
- Material: Stainless steel
- Important information: -

Code-No. 370100  
GTIN 4015613633282

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173080  
GTIN 4015613731933