

Food service cart WB3110





- Tank: 3 x 1/1 GN, 200 mm deep
- ✓ Water heated
- ✓ Heating zones can be controlled separately



Water drain tap

Description

The mobile buffet: Keeping food warm and transportation. A completely warm buffet can be opened very quickly.

Features

• Power load:

• Number of tanks:

• Temperature range:

• Control unit:

• Protection class:

• Basin size, GN format:

Water drain tap:Control lamp:

Heating zones can be controlled separately:

Temperature control:

• Delivery state:

• Swivel casters:

• Depth GN container max.:

• Heating type:

• ON/OFF switch:

2,1 kW | 230 V | 50-60 Hz

3

30 °C to 90 °C

Electronic

Toggle

IP24

3 x 1/1 GN Yes

Heat up

ON/OFF

Yes

Stepless
Permanently mounted

4 swivel casters, 2 with brake

200 mm

Water heated

Yes

▶ Continue on the next page







Food service cart WB3110

Thermostat: Yes
Diameter casters: 125 mm
Length cable: 1,7 m
Connection cable type: Spiral cable

• Wheel buffer:

Not included in delivery: GN containers
 Base shelf: Dimensions: W 600 x D 1135 x H 370 mm

• Material: CNS 18/10

• Weight: 54 kg







Food service cart WB3110 **Add on Products**

