


## Induction cooker IK 30TC-1



▶ Output hob: 3000 W



▶ Compact and high-performance

- ✓ Diameter hob: 230 mm
- ✓ Pot recognition
- ✓ Grease filter

### Description

Compact and high-performance – The induction cooker convinces with a 3000 W hob, a touch panel and especially with the integrated grease filter.

### Features

• Time adjustment:	1 to 180 minutes
• Temperature range:	60 °C to 240 °C
• Number of temperature levels:	10
• Intervals temperature setting:	20 °C
• Diameter hob(s):	230 mm
• Output hob(s) max.:	3000 W
• Power load:	3 kW   230 V   50 Hz
• Equipment connection:	Pluggable
• Number of hobs:	1
• Type of hobs:	Induction
• Size cerane surface:	W 275 x D 275 mm
• Overheating protection:	Yes
• Digital display:	Yes
• ON/OFF switch:	Yes
• Colour:	Silver
	Black
• Can be installed:	No

▶ Continue on the next page

## Induction cooker IK 30TC-1

- Pot recognition: Yes
- Lock button (child protection): No
- Number of output levels: 10
- Regulation of: Output  
Temperature  
Time
- Material hob: Glass
- Material: Stainless steel
- Important information: -
- Intervals time setting: 1 minute / 10 minutes
- Properties: Grease filter
- Timer: Yes
- Control unit: Electronic
- Control lamp: Touch  
ON/OFF  
Output  
Temperature  
Time
- Core temperature sensor: No
- Size: W 330 x D 420 x H 105 mm
- Weight: 5.4 kg



## Induction cooker IK 30TC-1 Add on Products

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926