


Induction cooker IK 30TC-1



▶ Output hob: 3000 W



▶ Compact and high-performance

✓ Diameter hob: 230 mm

✓ Pot recognition

✓ Grease filter

Description

Compact and high-performance – The induction cooker convinces with a 3000 W hob, a touch panel and especially with the integrated grease filter.

Features

• Temperature range:	60 °C to 240 °C
• Power load:	3 kW 230 V 50-60 Hz
• Material:	Stainless steel
• Intervals time setting:	1 minute / 10 minutes
• Time adjustment:	1 to 180 minutes
• Important information:	-
• Number of temperature levels:	10
• Intervals temperature setting:	20 °C
• Equipment connection:	Pluggable
• Timer:	Yes
• Control unit:	Electronic Touch
• Number of hobs:	1
• Type of hobs:	Induction

▶ Continue on the next page

Induction cooker IK 30TC-1

• Control lamp:	ON/OFF
	Output
	Temperature
	Time
• Size ceramic surface:	W 275 x D 275 mm
• Overheating protection:	Yes
• Digital display:	Yes
• ON/OFF switch:	Yes
• Core temperature sensor:	No
• Colour:	Silver
	Black
• Can be installed:	No
• Pot recognition:	Yes
• Lock button (child protection):	No
• Number of output levels:	10
• Properties:	Grease filter
• Material hob:	Glass
• Regulation of:	Output
	Temperature
	Time
• Diameter hob(s):	230 mm
• Output hob(s) max.:	3000 W
• Size:	W 330 x D 420 x H 105 mm
• Weight:	5.4 kg



Induction cooker IK 30TC-1 Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926