

Induction Cooker 4P 50-1 TCK

- ▶ Flexible table-top appliance
- ▶ Heat can be regulated via power stages or temperature
- ▶ Knob and touch control
- ▶ Pot diameter of up to 280 mm



Description

Whether in a front-of-house cooking area or as a fixed part of the kitchen, the induction cooker 4P 50-1 TCK is an impressive table-top appliance with elegant optics and a total power of 20 kW. Equipped with four large hobs for a pot diameter of up to 280 mm and with the option to switch between power stages and temperature, it is a reliable kitchen aid.

Features

- Material: Stainless steel
- Power load: 20 kW | 400 V | 50-60 Hz
- Output hob front left max.: 5000 W
- Important information: Minimum pot diameter 160 mm, max. pot diameter 280 mm
- Output hob rear left max.: 5000 W
- Important information: 2 separate sockets required
- Output hob front right max.: 5000 W
- Output hob rear right max.: 5000 W
- Equipment connection: 2 x 3 NAC
- Control unit: Toggle
Touch
- Diameter hob front left: 280 mm
- Number of hobs: 4
- Diameter hob rear left: 280 mm
- Type of hobs: Induction
- Diameter hob front right: 280 mm
- Control lamp: -

▶ Continue on the next page

Induction Cooker 4P 50-1 TCK

- Diameter hob rear right: 280 mm
 - Size cerane surface: W 720 x D 760 mm
 - Number of temperature levels: 10
 - Temperature range: 60 °C to 240 °C
 - Overheating protection: Yes
 - Digital display: Yes
 - Intervals temperature setting: 20 °C
 - ON/OFF switch: No
 - Timer: No
 - Core temperature sensor: No
 - Colour: Black
 - Can be installed: Silver
 - Pot recognition: No
 - Lock button (child protection): Yes
 - Number of output levels: No
 - Properties: 10
 - Material hob: -
 - Regulation of: Glass
 - Size: Output
 - Weight: Temperature
- W 792 x D 900 x H 234 mm
38.4 kg



Induction Cooker 4P 50-1 TCK

Add on Products

Frying pan E240-D1

STAINLESS
STEEL



- Material handle(s): Stainless steel
- Handle properties: Thermally insulated
- Detachable handle: No
- Induction-suitable: Yes
- Inside diameter: 240 mm
- Diameter surface: 190 mm
- Pan height: 75 mm

Code-No. 100457
GTIN 4015613773223

Cooking pot E10.4L-SG1



- Detachable handle: No
- Including: 1 lid
- Inside diameter: 300 mm
- Content: 10,4 litre(s)
- Diameter surface: 250 mm
- Handle properties: Thermally insulated
- Induction-suitable: Yes

Code-No. 100453
GTIN 4015613773193

Cookware set T4

CNS
18/10



Code-No. A130441
GTIN 4015613403977

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278
GTIN 4015613773346

Induction Cooker 4P 50-1 TCK

Add on Products

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280
GTIN 4015613773353

Sub-Structure 4P 3550-1 TCK



- Material: Stainless steel
- Height-adjustable feet: Yes
- Delivery state: Building kit (simple assembly)
- Estimated delivery time from our warehouse in Salzkotten, Germany is week: 09 / 2024
- Important information: -

Code-No. 105770
GTIN 4015613841786