

Refrigerator 600 WSTL



- ▶ Volume: 600 litres
- ▶ Climatic class: 4
- ▶ 5 intermediate shelves, height-adjustable
 - ✓ Dimensions: W 650 x D 510 mm
- ▶ Robust appliance surface
 - ✓ Lightly textured external paintwork
- ▶ Automatic defrost function
- ▶ Lockable
- ▶ Height-adjustable feet
- ▶ Digital display
- ▶ On/off switch

Description

This lockable refrigerator with its slightly textured surface is a special eye-catcher in any professional kitchen. With 5 height-adjustable grills, the interior can be equipped to suit your specific needs. The perfect temperature can be set easily and intuitively in steps of 0.1°C via the display.

Features

• Material inside:	Steel, painted
• Material:	Steel Painted with a slight texture
• Important information:	-
• Colour:	White
• Content:	600 litre(s)
• Useful content:	487 litre(s)
• Type of intermediate shelves:	Grille, steel, plastic coated
• Dimensions of intermediate shelves:	W 650 x D 510 mm
• Number of intermediate shelves:	5
• Height-adjustable intermediate shelves:	Yes
• Temperature range:	-1 °C to 6 °C
• Temperature control:	In 0.1 °C steps Digital
• Cooling:	Static with 1 fan
• Coolant:	R600a / 0,078 kg
• Climate class:	4

▶ Continue on the next page



Refrigerator 600 WSTL


• Thermostat:	Yes
• Ambient temperature:	to 32 °C
• Energy efficiency class:	C (EU Nr. 2015/1094-IV)
• Energy consumption:	664 kWh / an
• GWP:	3
• Automatic defrosting function:	Yes
• Drip water evaporation:	Yes
• Advertising display:	No
• With price strips:	No
• Insulation:	Polyurethane, 60 mm
• Digital display:	Yes
• Interior lighting:	No
• Type of door:	Leaf door(s)
• Number of doors:	1
• Door hinge side:	Right
• Door hinge side can be changed:	Yes
• Lockable:	Yes
• Height-adjustable feet:	Yes
• Control unit:	Electronic
• ON/OFF switch:	Yes
• Control lamp:	Compressor
• Properties:	-
• Power load:	0,292 kW 230 V 50 Hz
• Height adjustable:	1930 mm to 1945 mm
• Size:	W 780 x D 720 x H 1,930 mm
• Weight:	91.2 kg



Refrigerator 600 WSTL

Add on Products


Insert gate 600 WSTL-OM



- Material: Steel
Plastic coated
- Usage options: Upper drawer
Middle drawers
- Important information: -
- Load-bearing capacity max.: 40 kg
- Size: W 650 x D 510 x H 40 mm

Code-No. 700858
GTIN 4015613863085

Insert gate 600 WSTL-U



- Usage options: Our drawer
- Material: Steel
Plastic coated
- Important information: -
- Load-bearing capacity max.: 40 kg
- Size: W 650 x D 380 x H 40 mm
- Weight: 1.9 kg

Code-No. 700857
GTIN 4015613860664

Thermometer A300

STAINLESS
STEEL



- Control unit: -
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048
GTIN 4015613664262

Thermometer A500




- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -30 °C to 50 °C

Code-No. 292049
GTIN 4015613664286

Refrigerator 600 WSTL Add on Products

Thermometer A250

STAINLESS
STEEL



- Important information: -
- Including: -
- Material: Stainless steel
Plastic
- Colour: White
Silver
- Design: Analogue

Code-No. 292043
GTIN 4015613664279