

## Refrigerator KGN1-112



- ▶ Volume: 650 litres
- ▶ Usable volume: 480 litres
- ▶ Gastronorm: 2/1 GN
- ▶ 3 intermediate shelves, height-adjustable
  - ✓ Dimensions: W 530 x D 650 mm
- ▶ Lockable
- ▶ 4 swivel casters
  - ✓ 2 lockable
- ▶ LED lighting

### Description

Thanks to the generous space offered by this appliance, refrigerated goods can be stored and kept so that they are easy to find on the height-adjustable grills in 2/1 GN format. The powerful forced-air cooling system of the stainless steel refrigerator ensures an even and constant interior temperature despite the size of the appliance.

### Features

- Material: Stainless steel
- Dimensions of intermediate shelves: W 530 x D 650 mm
- Gastronorm: 2/1 GN
- Material: Zinc-plated rear wall  
Zinc-plated floor covering
- Important information: -
- Material inside: Stainless steel
- Colour: Silver
- Content: 650 litre(s)
- Useful content: 480 litre(s)
- Cooling: Circulating air
- Temperature range: 0 °C to 8 °C
- Temperature control: Electronic  
In 0.1 °C steps
- Thermostat: Yes
- Insulation: Cyclopentane, 70 mm
- Advertising display: No

▶ Continue on the next page

## Refrigerator KGN1-112



- Coolant: R290 / 0,072 kg
- GWP: 60
- Climate class: 5
- Ambient temperature: Up to 40 °C
- Drip water evaporation: No
- Energy efficiency class: B (EU No. 2015 / 1094)
- Energy consumption: 482 kWh / an
- Automatic defrosting function: Yes
- Type of intermediate shelves: Grille, steel, plastic coated
- Number of intermediate shelves: 3
- Height-adjustable intermediate shelves: Yes
- With price strips: No
- Lockable: Yes
- Interior lighting: Yes
- Digital display: Yes
- Control unit: Electronic
- Type of door: Leaf door(s)
- Number of doors: 1
- Door hinge side: Right
- Door hinge side can be changed: Yes
- Height-adjustable feet: No
- ON/OFF switch: Yes
- Control lamp: Defrost  
ON/OFF  
Compressor  
Fan
- Properties: 4 swivel casters, 2 with brake  
LED lighting
- Power load: 0,2 kW | 230 V | 50 Hz
- Size: W 740 x D 835 x H 2,050 mm
- Weight: 102.7 kg

## Refrigerator KGN1-112

### Add on Products

#### GN container, 2/1, D100

CNS  
18/10



- Content: 28,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A120103  
GTIN 4015613271811

#### GN container, 1/1, D100

CNS  
18/10



- Content: 14 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A121100  
GTIN 4016098162762

#### Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first  
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031  
GTIN 4015613360195

#### Thermometer A500



- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -30 °C to 50 °C

Code-No. 292049  
GTIN 4015613664286

## Refrigerator KGN1-112

### Add on Products

#### Thermometer A300

STAINLESS  
STEEL




- Control unit: -
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048  
GTIN 4015613664262

#### Thermometer A250

STAINLESS  
STEEL



- Important information: -
- Including: -
- Material: Stainless steel  
Plastic
- Colour: White  
Silver
- Design: Analogue

Code-No. 292043  
GTIN 4015613664279

#### Insert grate KTKGN-112-212



- Material: Plastic coated  
Steel
- Important information: -
- Load-bearing capacity max.: 30 kg
- Size: W 530 x D 650 x H 45 mm
- Weight: 1.5 kg

Code-No. 700859  
GTIN 4015613865225

#### Guiding rails KTKGN-112-212

STAINLESS  
STEEL



- Material: Stainless steel
- Set comprises: 2 bearing rails
- Important information: For the use of GN containers in 2/1 GN format  
Insert grate KSTKS-112-212 required for additional shelving space

Code-No. 700860  
GTIN 4015613868356