

Milk refrigerator KV9L





Whether for cappuccino, café au lait or latte macchiato - this practical milk refrigerator offers direct access to chilled milk with its side tube openings. The milk is kept cool hygienically and can be drawn out of the container when needed for coffee preparation via the milk tube of the coffee machine.

Features

· Colour:

• Material: Steel plate Glass Material inside: Plastic

• Important information: Tube feeds are closed upon delivery

Black

• Content: 9 litre(s)

• Size inside: W 160 x D 190 x H 280 mm

Cooling: Circulating air 0 °C to 8 °C · Temperature range: In 1 °C steps · Temperature control:

Electronic Touch

· Opening for milk hose: 9.8 mm | 12.3 mm 3 openings on the left and 2 openings on the right of the appliance

· Automatic defrosting function: · Drip water evaporation: Nο · Thermostat: Yes

▶ Continue on the next page



- ► The perfect accessory for baristas
 - ✓ Milk refrigerator with 5 tube openings on the side
 - ✓ Direct drawing of milk via milk tube of coffee machine
 - ✓ Hygienically cool milk storage





- Designed for e.g. three 1-litre Tetra Paks®
- ✓ Inner dimensions: W 160 x D 190 x H 280



► LED lighting





- Milk container available as an optional extra
 - ✓ Volume: 4 litres





Milk refrigerator KV9L

Insulation: CyclopentanCoolant: R600a / 0,0108 kg

Ambient temperature:
Climate class:
N, T
Control unit:
Interior lighting:
Digital display:
Lockable:
Type of door:
Leaf door(s)

Number of doors:
Door hinge side:
Door hinge side can be changed:
No
Height-adjustable feet:
No
ON/OFF switch:
Control lamp:

Properties: Designed for 3 x 1 litre Tetra Pak®, for example

Direct milk cumply via side examines on the appliance.

Direct milk supply via side openings on the appliance

LED lighting

• Power load: 0,068 kW | 230 V | 50/60 Hz

• Including: 1 key

5 tube feed covers 12.3 mm 5 tube feed covers 9.8 mm 5 covers for feed tube W 225 x D 450 x H 455 mm

• Weight: 13.22 kg

• Size:







Milk refrigerator KV9L **Add on Products**



