

Dishwasher GS C350 LPR



- ▶ Basket dimensions: 350 x 350 mm
- ▶ Max. glass height: 260 mm
- ▶ Output/h: 30 baskets
- ▶ Cycle time: 120 seconds
- ▶ Dishwasher including:
 - ✓ Rinse aid dosing pump
 - ✓ Discharge pump
 - ✓ Detergent dosing pump
- ▶ Easy to use
- ▶ We recommend a warm water connection up to 60°C
- ▶ Cleaning cups, saucers, glasses and mugs, also in bar areas

Description

This floor-standing dishwasher is easy to use and concentrates on what really matters – cleanliness and reliability in a compact form.

Features

• Door double-walled:	Yes
• Can be fitted below the counter:	Yes
• Glasses height max.:	260 mm
• Power load:	2,59 kW 230 V 50 Hz
• Equipment connection:	1 NAC
• Boiler heater:	2,4 kW
• Tank heater:	1,25 kW
• Dry-run protection:	Yes
• Control lamp:	yes
• ON/OFF switch:	Yes
• Lye pump:	Yes
• Water softener:	No
• Clear rinsing dosing pump:	Yes
• Door contact switch:	Yes
• Safety thermostat:	Yes
• Cleaning agent dosing pump:	Yes
• Basket dimensions:	350 x 350 mm

▶ Continue on the next page

Dishwasher GS C350 LPR


- Run-time: 120 seconds
- Output / hour max.: 30 baskets
- Self-cleaning: No
- Cold rinsing: No
- Double-walled: Yes
- Tank volume: 12 litre(s)
- Water consumption at 2 bar: 1.4 litres / wash cycle
- Water pressure: 2 - 4 bar
- Water supply: 3/4"
- Water outlet: Ø 20 mm
- Water intake temperature: 5 °C to 60 °C
- Number of wash programs: 1
- Display: -
- Material: Stainless steel
- Including: 1 cutlery holder
2 universal baskets
1 saucer insert
1 water supply hose
1 water outlet hose
- Size: W 415 x D 485 x H 675 mm
- Weight: 31.2 kg



Dishwasher GS C350 LPR

Add on Products

Universal basket 350x350x110



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: Grey
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -

Code-No. 110312
GTIN 4015613432007


Universal basket 350x350x170



- Basket size: 350 x 350 mm
- Number of shelves: 1
- Colour: White
- Design: Flat
- Suitable for: Glasses
Cups
- Important information: -

Code-No. 110311
GTIN 4015613586564


Cutlery cylinder for dishwashers



- Colour: Grey
- Important information: -
- Material: Plastic
- Diameter: 107 mm
- Size: W 107 x D 107 x H 119 mm
- Weight: 0.1 kg

Code-No. 110318
GTIN 4015613432021

Insert for saucers f. dishw.basket



- Important information: -
- Material: Steel
Coated
- Number of shelves: 14
- Size: W 300 x D 100 x H 90 mm
- Weight: 0.2 kg

Code-No. 110317
GTIN 4015613432014

Dishwasher GS C350 LPR

Add on Products

Glass polisher



STAINLESS
STEEL



- Number of polishing heads: 5
- Power load: 1,1 kW | 230 V | 50 Hz
- Polishing/drying type: Microfibre polishing scarves with hot air fans
- Properties: Microfibre polishing scarves detachable
- Including: -
- Material: Stainless steel
Microfibre

Code-No. 109470
GTIN 4015613455624

Full desalination system VK 500 FB



- Desalination type: Full desalination
- Water connection: 3/4"
- Colour: Blue
- Connection capacity: 1 unit
- Output capacity: 5,000 litres / cartridge at 10° d (total salt content)
- Material: Plastic

Code-No. 109877
GTIN 4015613681580

Dishwasher cleaner P5kg



- Designed for: Commercial dishwashers
Household dishwashers
- Model: Powder
- Ph level: 12
- HACCP compliant: Yes
- Chlorine-free: No
- Phosphate-free: No

Code-No. 173074
GTIN 4015613731872

Rinsing agent F10L



- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: -
- Content: 10 litres
- Designed for: Commercial dishwashers

Code-No. 173272
GTIN 4015613767901

Dishwasher GS C350 LPR

Add on Products

Dish-washing deterg. metering pump TG280



- Power load: 0,005 kW | 230 V | 50 Hz
- Colour: Blue
- Design: Fitted unit
- Volume flow: 0,28 L / hour to 2,8 L /hour
- Cleaning agent dosing: Cycle-controlled
- Material: Plastic
- Important information: -

Code-No. 109518
GTIN 4015613432403

Detergent metering pump LWG600



- Power load: 0,004 kW | 230 V | 50/60 Hz
- Colour: Grey
- Design: Wall-mounting
- Volume flow: 0,1 L / hour to 6 L /hour
- Cleaning agent dosing: Setpoint controlled
- Including: 1 connection set
- Material: Plastic

Code-No. 109547
GTIN 4015613506517

Water softening system WEH1600



- Power load: 0,006 kW | 230 V | 50/60 Hz
- Digital display: Yes
- Water intake temperature from: 5 °C
- Water intake temperature to: 35 °C
- Regeneration: Time period
- Water connection: 3/4"
- Colour: White

Code-No. 109952
GTIN 4015613797762