

4-Hob Induction Stove GU



Description

The 4-hob induction stove GU is a powerful and reliable partner in any kitchen. The split glass surface provides generous space for cooking and the 17 kW of power can be controlled via power stages or temperature.

Features

• Material:	Stainless steel
• Type:	Upright unit
• Power load:	17 kW 400 V 50/60 Hz
• Sub-counter unit type:	Leaf door Evenly divided
• Important information:	-
• Size base unit:	W 800 x D 570 x H 475 mm
• Equipment connection:	3 NAC
• Height-adjustable feet:	Yes
• Properties:	Hob control can be switched between power stages and temperature Control via knob, touch
• Distribution of hobs:	2 x 5 kW, 2 x 3.5 kW
• Height adjustable:	830 mm to 860 mm
• Large hobs:	Ø 260 mm
• Including:	4 feet
• Material hob:	Glass
• Series:	-

► Continue on the next page



► Can be used as floor-standing appliance



► Closed base with 2 double doors



► Generous amount of space on split glass cooktop

► 4 hobs

✓ Distribution of hobs: 2 x 5 kW | 2 x 3.5 kW

4-Hob Induction Stove GU

- Number of output levels: 10
- Operating mode: Electro
- Pot recognition: Yes
- Type of hobs: Induction
- Protection class: IPX4
- Number of hobs: 4
- Size: W 800 x D 700 x H 860 mm
- Weight: 73.3 kg



4-Hob Induction Stove GU

Add on Products

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Manual cleaning of heavily soiled surfaces

Code-No. 173278
GTIN 4015613767918

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas

Code-No. 173280
GTIN 4015613761183

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474