

## Vacuum machine 400M



### Description

### Features

- Power load: 0,38 kW | 230 V | 50 Hz
- Control unit: Knob
- Control lamp: yes
- Digital display: No
- Lighting: -
- Number of welded joints: 1
- Length welding rod: 400 mm
- Vacuum pump: approx. 31.5 L / min. (1.9 m<sup>3</sup> / hours)
- Including:
  - 1 vacuuming film roll (40 cm x 3 m)
  - 1 connecting hose (for vacuuming with containers)
  - 5 vacuuming bags (40 x 50 cm)
- Maximum vacuum: -850 mbar
- Properties:
  - Fluids collection insert
  - Pressure display via manometer
  - Roll holder with integrated blade

▶ Continue on the next page

## Vacuum machine 400M

- Functions: Manual vacuuming  
Manual sealing  
Marinating
- Material: CNS 18/10
- Important information: Only use seersucker vacuuming bags for vacuuming (ribbed on one side)
- Colour: Silver
- ON/OFF switch: Yes
- Vacuum control: Electronic
- Vacuuming intensity can be regulated: No
- Welding duration can be regulated: 3 levels
- Size: W 550 x D 325 x H 270 mm
- Weight: 12.5 kg



## Vacuum machine 400M Add on Products

### Vacuum bag, structured



- Content: 20 litre(s)
- Order quantity unit: 1 box (50 bags)
- Bag size: 400 x 600 mm
- Design: Seersucker (ribbed on one side)
- Properties: -
- Important information: -

Code-No. 300414  
GTIN 4015613473345