

## Automatic coffee machine Easy Slim 200



### Description

Great variety in a compact design – where reliable technology meets a huge selection of beverages. The fully automatic coffee machine with the 200-gram bean holder and the removable milk tank caters to exclusive tastes even for moderate beverage output requirements.

### Features

• Material:	Plastic
• Colour:	Black
• Control lamp:	-
• Max. content of milk container:	250 ml
• Operating system:	-
• Brewing group(s):	1
• ON/OFF switch:	Yes
• Removable milk container:	Yes
• Video display:	-

▶ Continue on the next page



- ▶ Designed for: 15 cups/day
- ▶ Capacity of grounds container: Approx. 10 cups



- ▶ Removable milk container:
  - ✓ Dishwasher-safe parts
  - ✓ Pivoting spout
  - ✓ Dispensing of milk-free specialty coffees possible without milk tank



- ▶ 1 bean container (200 g)
- ▶ 9 adjustable grinding settings
- ▶ Powdered coffee option



- ▶ Cup counter
- ▶ Hot water function
- ▶ Milk froth option
- ▶ Descaling signal



## Automatic coffee machine Easy Slim 200



- Important information:
  - From a water hardness of 5° dH upwards, we urgently recommend installing the water filter KV-150
  - This coffee machine has wearing parts
  - Brewing unit: 10,000 poured drinks
  - Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks
  - Pump, Drainage valve, grinding mechanism and seals: 10,000 poured drinks
  - Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machine is defective.
- Design:
  - Minimum brewing quantity: 15 ml
  - Parts of milk container dishwasher-safe: Yes
  - Designed for: 15 cups / day
  - Pivoted milk spout: Yes
  - Properties:
    - Powerful heating: 1 x 1,400 W
    - Water tank with handle
    - 1 coffee spoon
    - 1 milk container with pivoted spout
- Including:
  - Number of bean containers: 1
  - Power load: 1,4 kW | 230 V | 50 Hz
  - Content bean container: 200 g
  - Bean-/topping containers lockable: No
  - Detachable bean/topping containers: No
  - Cup counter: Per program and total
  - Decalcification signal: Yes
  - Filling level display: yes
  - Control unit: Touch
  - IoT-capable: -
  - Setting possibilities:
    - Drink names
    - Coffee dosing
    - 9 grinding levels
    - Water quantity
    - Water quantity
    - Water tank
- Water supply:
  - Water connection: -
  - Water tank capacity: 1,3 litre(s)
  - Detachable water tank: Yes
  - Milk supply: Via connected milk container
- Programs:
  - Hot water function: 15, pre-programmed, parameters can be changed
  - Hot milk function: yes
  - Grinding mechanism: No
  - Grinder material: Cone grinder
  - Pressure system: Steel
  - Pump pressure: Piston pressure
  - USB connection: 19 bar
  - Milk frother: No
  - Height-adjustable outlet: yes
  - Cleaning program: 68 - 138 mm
  - Display: yes
  - Programs
    - Status
    - Fault messages
    - Button sound
    - Size: 2,4 inch
- Automatic turn-off: No
- Residues container capacity: Approx. 10 cups
- Residues container dishwasher-suitable: Yes
- Ground coffee option:
  - Individual cups
  - Manual 5 - 12 g
- Multi cups: Yes
- Size: W 215 x D 455 x H 345 mm

► Continue on the next page



## Automatic coffee machine Easy Slim 200

- Weight: 9.45 kg



## Automatic coffee machine Easy Slim 200

### Add on Products

#### Water Filter KV-150



- Water intake temperature: 4 °C to 30 °C

Code-No. 109902  
GTIN 4006387008413

#### Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines  
Fully automatic coffee  
Thermal jugs  
Espresso machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form

Code-No. 173283  
GTIN 4015613773377

#### Milk line detergent F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Fully automatic coffee
- Content: 6 x 1 litre
- Model: Liquid
- Ph level: 11
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173282  
GTIN 4015613773360