

## Kettle 1,7L



### Description

Robust, high-performance kettle for boiling quantities as low as 300 ml. The kettle is removable from the base with the 360° contact connection and is equipped with an automatic boil stop.

### Features

• Power load:	2,2 kW   230 V   50/60 Hz
• Material lid:	Plastic
• Colour:	Silver Black
• Content:	1,7 litre(s)
• Minimum brewing quantity:	0,3 litre(s)
• Automatic boil stop:	Yes
• Filling level display:	Yes
• Dry-run protection:	Yes
• Carrying handle:	Yes
• Control unit:	Electronic Lever
• Length cable:	71 cm
• Control lamp:	In operation
• ON/OFF switch:	Yes

▶ Continue on the next page



▶ Contents: 1.7 litres



▶ Automatic boil stop



▶ Limescale filter



▶ Practical:

- ✓ Kettle removable from the base, wireless
- ✓ 360° contact connection



▶ Economical:

- ✓ Low minimum boiling quantity: 0.3 litres

## Kettle 1,7L



- Properties: 360° contact connection  
Covered heating element  
Kettle removable from the base, wireless  
Safe carrying handle
- Material: Stainless steel  
Plastic
- Important information: -
- Temperature range to: 100 °C
- Limescale filter: yes  
Can be removed
- Double-walled: No
- Size: W 165 x D 210 x H 240 mm
- Weight: 0.96 kg

## Kettle 1,7L Add on Products

### Thermal pump can 3L

STAINLESS  
STEEL

3 L



- Diameter surface: 150 mm
- Pump system: Yes
- Double-walled: Yes
- Temperature loss / hour approx.: 2 °C
- Colour: Silver  
Black
- Content: 3 litre(s)

Code-No. 150992  
GTIN 4015613725499

### Thermal pump can 5L

STAINLESS  
STEEL

5 L



- Diameter surface: 150 mm
- Pump system: Yes
- Double-walled: Yes
- Temperature loss / hour approx.: 1,7 °C
- Colour: Silver  
Black
- Content: 5 litre(s)

Code-No. 150993  
GTIN 4015613725505