

Dishwasher US EcoPlus500 LPR



Description

An economical model with top hygiene standards: The thermal disinfection meets hygiene standards and leaves behind perfectly clean, germ-free crockery. The integrated rinse pump ensures constant washing results and reduces the consumption of water, energy, detergent and rinsing agent.


Features

• Plate height max.:	340 mm
• Door double-walled:	Yes
• Can be fitted below the counter:	Yes
• Glasses height max.:	340 mm
• Power load:	6,65 kW 400 V 50 Hz
• Equipment connection:	3 NAC
• Boiler heater:	6 kW
• Tank heater:	1,1 kW
• Control lamp:	ON/OFF
	Start/Stop
• Lye pump:	Yes
• Water softener:	No
• Clear rinsing dosing pump:	Yes
• Door contact switch:	Yes
• Safety thermostat:	Yes
• Cleaning agent dosing pump:	Yes
• Basket dimensions:	500 x 500 mm

► Continue on the next page



- Dishwasher with thermal disinfection
- ✓ Rinse cycle with cycle time of 600 seconds
- ✓ Tank temperature: 65°C
- ✓ Boiler temperature: 87°C



- Output/h: Up to 60 baskets
- Cycle time: 60 / 90 / 120 / 180 / 360 / 600 seconds
- Tank volume: 10 litres
- Tank heating: 1.1 kW
- Boiler heating: 6 kW



- Easy to operate via colour display
- Sparing consumption of resources
- We recommend a warm water connection

Dishwasher US EcoPlus500 LPR

- Output / hour max.: 60 baskets
- Self-cleaning: Yes
- Cold rinsing: No
- Double-walled: Yes
- Tank volume: 10 litre(s)
- Water pressure: 2 - 4 bar
- Water supply: G 3/4" M
- Water outlet: Ø 24 mm
- Including: 1 universal basket (W 500 x D 500 x H 105 mm)
1 plate basket (W 500 x D 500 x H 105 mm)
1 cutlery basket (Ø 120 mm, H 120 mm)
1 supply hose
1 drainage hose

- Important information: -
- Display: 9 languages
Tank temperature and status
Boiler temperature and status
Programme code and name
Colour display, 2.8 inch

- Material: CNS 18/10
- Tray size max.: 530 x 325 mm
- Run-time: 60 / 90 / 120 / 180 / 360 / 600 seconds
- Number of wash programs: 7 preset programmes
1 configurable programme

- Water intake temperature: 10 °C to 55 °C
- Dry-run protection: Yes
- ON/OFF switch: Yes
- Water consumption at 2 bar: 3.5 litres / wash cycle
- Properties: Thermal disinfection in accordance with DIN 10512, Spec 10534
Thermal stop with energy saving system
Multi-lingual control menu
Self-diagnosis system
Spring-action door
Surface strainer
Rinse pump with break tank

- Size: W 600 x D 645 x H 850 mm
- Weight: 71 kg



Dishwasher US EcoPlus500 LPR

Add on Products

Universal basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Glasses
Cups

Code-No. 5301
GTIN 4015613653952

Cutlery basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Flat
- Suitable for: Cutlery
- Important information: -

Code-No. 5302
GTIN 4015613653969

Plates basket 500x500x100



- Stackable: Yes
- Basket size: 500 x 500 mm
- Number of shelves: 1
- Colour: Brown
- Design: Fingers
- Suitable for: Trays
Plates

Code-No. 5303
GTIN 4015613653976

Cutlery holder, 8 compartments



- Material: Plastic
- Stackable: Yes
- Important information: -
- Properties: -
- Basket size: 430 x 210 mm
- Number of shelves: 8
- Colour: Brown

Code-No. 5305
GTIN 4015613653990

Dishwasher US EcoPlus500 LPR

Add on Products

Rinsing agent F10kg



- Designed for: Commercial dishwashers
Household dishwashers
Combined steamer
- Model: Liquid
- Ph level: 2,1
- HACCP compliant: Yes
- Chlorine-free: Yes

Code-No. 173072
GTIN 4015613731865


Water softening system WEH1600



- Water intake temperature from: 5 °C
- Water connection: 3/4"
- Material: Plastic
- Water intake temperature to: 35 °C
- Colour: White
- Important information: -
- Connection capacity: 1 unit

Code-No. 109952
GTIN 4015613797762

Reusable cup basket 500x500x235



- Material: Steel
Coated
- Inside height: 190 mm
- Compartment size: 90 x 90 mm
- Important information: -
- Stackable: No

Code-No. 109330
GTIN 4015613836584

Water softening system WEH1500



- Material: Plastic
- Water intake temperature from: 1 °C
- Water connection: 3/4"
- Estimated delivery time from our warehouse in Salzkotten, Germany is week: 05 / 2024
- Colour: Grey

Code-No. 109901
GTIN 4015613800974

Dishwasher US EcoPlus500 LPR

Add on Products

Water softening system WEH1350



- Water intake temperature from: 5 °C
- Water connection: 3/4"
- Material: Plastic
- Water intake temperature to: 40 °C
- Colour: Grey
- Important information: -
- Setting possibilities: Interval

Code-No. 109889
GTIN 4015613615158