

Chafing dish 6.2L Flexible




Description

Induction or glass ceramic: This round chafing dish can be used flexibly on a built-in hob – in buffets, at canteens and in front cooking areas. The removable lid with soft-close mechanism means that it's really easy to take food out and to replace the container.

Features

- GN-capable: No
- Content: 6,2 litre(s)
- Heating type: External, via level induction or glass ceramic installed hob
- Stackable: No
- Colour: Silver
- Material handle(s): Stainless steel
- Functions: Chrome-plated
- Material: Keeping warm
- Important information: Stainless steel
- With handle(s): An external hob is required to use the device
- Diameter inner container: Yes
- Lid properties: 390 mm
- Properties: With window
- Soft-Close mechanism (hydraulic lid hinge)
- Detachable, with handle
- Heat control via external hob
- Lift-up device for containers

▶ Continue on the next page



- ▶ Infinite possibilities
 - ✓ The chafing dish can be used in combination with an external hob.
 - ✓ Volume: 6.2 litres
 - ✓ 1 container, Ø 390 mm, 65 mm deep



- ▶ For an induction or glass ceramic hob
 - ✓ Possible heat control via the external built-in hob



- ▶ Soft-close mechanism
 - ✓ Removable lid with window



- ▶ Lift-up device
 - ✓ Easy removal of container

Chafing dish 6.2L Flexible

- Material lid:
Stainless steel
Chrome-plated
Glass
- Including:
1 container, Ø 390 mm, 65 mm deep, Stainless steel
- Size:
W 435 x D 472 x H 185 mm
- Weight:
5.4 kg



Chafing dish 6.2L Flexible Add on Products

Induction warming plate IW10



- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Toggle
- Control lamp: -
- Overheating protection: Yes
- Timer: No

Code-No. 114366
GTIN 4015613714806

Induction warming plate IW10-EBBF



- Warming station diameter: 280 mm
- Power load: 1 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 50 °C to 100 °C
- Control unit: Electronic
- Control lamp: Operational

Code-No. 105996
GTIN 4015613715421

Induction warming plate IW3



- Power load: 0,3 kW | 230 V | 50-60 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control unit: Electronic
- Control lamp: Touch
- Control lamp: -
- Size cerane surface: W 390 x D 390 mm

Code-No. 105865
GTIN 4015613746838

Induction warming plate IW3-EBBF



- Warming station diameter: 195 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control lamp: -
- Size cerane surface: W 280 x D 280 mm
- Overheating protection: Yes

Code-No. 105864
GTIN 4015613746821

Chafing dish 6.2L Flexible Add on Products

Induction warming plate IW3-SW



- Power load: 0,3 kW | 230 V | 50-60 Hz
- Material: Steel
- Important information: -
- Equipment connection: Pluggable
- Temperature range: 40 °C to 95 °C
- Control unit: Electronic Touch

Code-No. 105867
GTIN 4015613773117