

## Electric stove 700, W800, 4PL, e10



### Description

### Features

• Temperature range:	100 °C to 300 °C
• Power load:	15,8 kW   400 V   50/60 Hz
• Type:	Upright unit
• Material:	CNS 18/10
• Important information:	-
• Equipment connection:	3 NAC
• Height-adjustable feet:	Yes
• Properties:	-
• Distribution of hobs:	4 x 2,6 kW
• Material cooking chamber:	Stainless steel
• Oven functions:	Upper / lower heat
• Large hobs:	4 x Ø 220 mm
• Oven type:	Electro
• Including:	-
• Series:	700
• Operating mode:	Electro
• Oven connected load:	5,4 kW

▶ Continue on the next page

## Electric stove 700, W800, 4PL, e10

- Gastronorm: 2/1 GN
- Type of hobs: Electro
- Size oven: W 535 x D 675 x H 265 mm
- Number of hobs: 4
- Vapour extractor: Yes
- Height adjustable: 850 mm to 900 mm
- Available on request: With square hobs
- Size: W 800 x D 700 x H 850 mm
- Weight: 106 kg



## Electric stove 700, W800, 4PL, eLO

### Add on Products

#### GN grid 2/1, SS

CNS  
18/10

- Important information: -
- Gastronorm: 2/1 GN  
2/1 GN
- Material: CNS 18/10
- Norm: EN 631
- Series: Top Line
- Size: W 650 x D 530 x H 10 mm

Code-No. A101092  
GTIN 4016098175267

#### Tray 2/1GN, 20 mm

CNS  
18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Content: 6,9 litre(s)

Code-No. A101181  
GTIN 4015613271699

#### Tray 2/1GN, 40 mm

CNS  
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101182  
GTIN 4015613271705

#### Tray 2/1GN, 65 mm

CNS  
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101183  
GTIN 4015613271712

## Electric stove 700, W800, 4PL, eLO

### Add on Products

#### Thermometer D3000 KTP

STAINLESS  
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043  
GTIN 4015613664255

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080  
GTIN 4015613731933

#### Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>

Code-No. A500510  
GTIN 4015613735467

## Electric stove 700, W800, 4PL, e10

### Add on Products

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511  
GTIN 4015613735474

#### Oven gloves 420



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512  
GTIN 4015613735481

#### Oven gloves 600



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513  
GTIN 4015613735498

#### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas

Code-No. 173280  
GTIN 4015613761183