

## Glass-doored refrigerator 302L WB



### Description

Setting the scene for targeted advertising and information: The lit advertising display catches the eye and draws the attention in shops, canteens, and dining areas. You can advertise your products with a logo or provide general information. Allowing customers to look directly at the foods on offer helps to promote impulse buys.

### Features

- Material: Steel  
Painted  
Glass  
Plastic ABS
- Front pane: Framed
- Dimensions of intermediate shelves: W 500 x D 400 mm
- Safety glass: Yes
- Important information: -
- Material inside: Plastic ABS
- Colour: White
- Type of glass: Double glazing
- Including: 1 thermometer for hanging inside
- Content: 388 litre(s)
- Useful content: 302 litre(s)
- Cooling: Static with 1 fan
- Temperature range: 0 °C to 10 °C
- Temperature control: Mechanical

▶ Continue on the next page



▶ Content: 302 litres



▶ Advertising display:

- ✓ LED lighting
- ✓ For stickers, max. dimensions W 600 x H 155 mm
- ✓ For printed material, max. dimensions W 495 x H 130 mm

▶ Climate class: 4



- ▶ 5 height-adjustable intermediate shelves
- ✓ Dimensions: W 500 x D 400 mm

▶ Automatic thawing function



▶ LED lighting

▶ Lockable

## Glass-doored refrigerator 302L WB

• Temperature control:	Stepless
• Thermostat:	Yes
• Insulation:	Cyclopentane C5H10, 45 mm
• Advertising display:	LED lighting
	For stickers with max. dimensions of W 600 x H 155 mm
	For printed material with max. dimensions of W 495 x H 130 mm
• Coolant:	R600a / 0,052 kg
• GWP:	3
• Climate class:	4
• Ambient temperature:	16 °C to 30 °C
• Drip water evaporation:	No
• Energy efficiency class:	D (EU No. 2019 / 2018)
• Energy consumption:	642 kWh / an
• Automatic defrosting function:	Yes
• Type of intermediate shelves:	Grille, plastic coated
• Number of intermediate shelves:	5
• Height-adjustable intermediate shelves:	Yes
• With price strips:	No
• Lockable:	Yes
• Interior lighting:	Yes
• Digital display:	No
• Control unit:	Knob
• Type of door:	Leaf door, glass
• Number of doors:	1
• Door hinge side:	Right
• Door hinge side can be changed:	No
• Height-adjustable feet:	No
• ON/OFF switch:	No
• Control lamp:	-
• Properties:	1 fan
	LED lighting with separate on/off switch (with advertising display)
	2 casters, 2 adjustable feet
• Power load:	0,155 kW   230 V   50 Hz
• Size:	W 600 x D 580 x H 1,845 mm
• Weight:	55.6 kg



## Glass-doored refrigerator 302L WB

### Add on Products

#### Thermometer A300

STAINLESS  
STEEL



- Control unit: -
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048  
GTIN 4015613664262

#### Thermometer A500




- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -30 °C to 50 °C
- Designed for: Room temperature measurements  
Refrigerators / upright freezers

Code-No. 292049  
GTIN 4015613664286

#### Thermometer A250

STAINLESS  
STEEL



- Important information: -
- Including: -
- Material: Stainless steel  
Plastic
- Colour: White  
Silver
- Design: Analogue

Code-No. 292043  
GTIN 4015613664279