

Cer.glass stove,4HTzon,el.oven2/1GN



- ▶ 4 hobs
 - ✓ Output, each: 4 kW
 - ✓ Diameter, each: 265 mm
- ▶ Electrical oven
 - ✓ Output: 5.6 kW
 - ✓ Format: 2/1 GN
 - ✓ Dimensions: W 655 x D 550 x H 300 mm
- ▶ Simple operation: very large toggles with a good grip and legible labels

Description

The 900 Master series and its high-quality and solid stainless steel version in CNS 18/10 is the ideal choice for modern professional kitchens with high standards. First-rate, flexible and high-performance.

Features

• Temperature range:	70 °C to 300 °C
• Type:	Upright unit
• Material:	CNS 18/10
• Important information:	-
• Power load:	21,6 kW 400 V 50/60 Hz
• Height-adjustable feet:	Yes
• Properties:	-
• Equipment connection:	3 NAC
• Distribution of hobs:	4 x 4 kW
• Material hob:	Glass
• Large hobs:	Ø 265 mm
• Oven type:	Electro
• Including:	-
• Series:	900
• Operating mode:	Electro
• Oven connected load:	5.6 kW
• Gastronorm:	2/1 GN

▶ Continue on the next page

Cer.glass stove,4HTzon,el.oven2/1GN

- Type of hobs: Glass ceramic
- Size oven: W 655 x D 550 x H 300 mm
- Number of hobs: 4
- Height adjustable: 900 mm to 950 mm
- Size: W 800 x D 900 x H 900 mm
- Weight: 101.6 kg



Cer.glass stove,4HTzon,el.oven2/1GN

Add on Products

Swivel castors 4S900



- Swivel castors: 4 swivel castors, 2 with brake
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic
Rubber coated
- Important information: -

Code-No. 295088
GTIN 4015613680804

Tray 2/1GN, 20 mm

CNS 18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Content: 6,9 litre(s)

Code-No. A101181
GTIN 4015613271699

Tray 2/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101182
GTIN 4015613271705

Tray 2/1GN, 65 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101183
GTIN 4015613271712

Cer.glass stove,4HTzon,el.oven2/1GN

Add on Products

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043
GTIN 4015613664255

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²

Code-No. A500510
GTIN 4015613735467

Cer.glass stove,4HTzon,el.oven2/1GN

Add on Products

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512
GTIN 4015613735481

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513
GTIN 4015613735498

Kitchen rail 900-800

STAINLESS
STEEL



- Material: Stainless steel
- Load-bearing capacity max.: 15 kg
- Depth of surface: 60 mm
- Including: 1 drilling template
Attachment material
- Important information: Building kit
- Size: W 790 x D 95 x H 40 mm

Code-No. 295201
GTIN 4015613850269