

Combi steamer Silversteam P-5111DRS





More efficiency and time savings with the combi steamer Silversteam P 5 x 1/1 GN thanks to extra power. Fully utilised cooking chambers are no problem thanks to the high power and rack control function. Reduced cooking times, faster heating times, easy handling and the cleaning system speak for themselves.

Features

• Power load: 7,7 kW | 400 V | 50 Hz

· Equipment connection: 3 NAC 50 °C to 300 °C • Temperature range:

· Control unit: Touch Functions: Circulating air Steam

Combi-steaming Low temperature cooking

Delta-T cooking Reversing motor direction (fan wheels)

Steam production by means of direct injection

Automatic 3-level cleaning system with drying program · Rack control:

• Continuous operation: Yes · Vapour extractor: Yes · Core temperature sensor connection: Side • USB connection: Side



- Combi steamer Silversteam P
 - High power
 - ✓ Up to 5 x 1/1 GN or 600 x 400 mm



Automatic 3-level cleaning system with drying program



- Rack control
- ✓ To enable the selection of a program for each shelf
- The benefits of the Silversteam series
 - ✓ Faster heating and reheating times
 - ✓ Up to 16% reduction in cooking times
 - ✓ Ideal for cooking spaces used to full capacity



Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program

▶ Continue on the next page







Combi steamer Silversteam P-5111DRS

• Fan speed: 3 levels

Number of cooking programs:
 300 pre-installed programs

300 configurable programs

Number of cooking phases:
Type of drawers:
Number of drawers:
Distance between trays:
Water connection:
3/4"

• Time adjustment: 0 to 599 minutes
• Material cooking chamber: CNS 18/10

• Number of fans:

Properties: Rounded baking chamber

Bearing rails can be detached Double-winged door pane LED lighting in door

Socket (500 W) for connection of an extractor hood

Faster heating and reheating times Up to 16 % reduction in cooking times Ideal for cooking spaces used to full capacity

Ideal for cooking spaces used to full ca • Including: 1 grille 1/1 GN

1 tray 1/1 GN 1 water supply hose

1 supply hose for cleaning agents

Available on request:Control lamp:

• LED display:

Series: Silversteam
 Temperature control: Stepless
 Interior lighting: Yes
 Format drawers: 1/1 GN
 600 x 400 mm

Operating mode: Electro
 With cleaning system: Yes
 Material: CNS 18/10

• Important information: From a water hardness of 5° d.H upwards, we urgently recommend

fitting a suitable water softener and a water pressure of maximum

3 bar Steaming Delta-T cooking

Cooking phases
Core temperature
Fan speed
Program
Temperature
Time

• Size: W 890 x D 835 x H 675 mm

• Weight: 91.2 kg







Combi steamer Silversteam P-5111DRS Add on Products

Combi steamer cleaner RS-5L



• Order quantity unit:

• Designed for:

Combi steamers with an automatic dosing system

• Ph level:

14

 HACCP compliant: • Chlorine-free:

Nο Yes

• Phosphate-free:

No

Smoker-Box 1160



• Comprising:

• Power load:

Mains adapter Smoker-Box

Volume:

1.16 litre(s)

• Dimensions Smoker-Box:

W 125 x D 470 x H 75 mm

• Suitable fuel: • ON/OFF switch: Standard smoker materials

0,2 kW | 230 V | 50/60 Hz

Cooking basket 110



• Gastronorm:

1/1 GN

Size basket:

W 490 x D 275 x H 50 mm

· Content:

7 litre(s)

• Material:

Stainless steel

• Important information: • Size:

W 536 x D 326 x H 61 mm

· Weight: 1.1 kg

Code-No. 900300 GTIN 4015613788111

Base unit Silversteam 110



• Number of drawers:

10

• Colour: • Format drawers: Silver 1/1 GN

• Height-adjustable feet:

Yes

• Base shelf: Material:

No

• Important information:

CNS 18/10

Code-No. 115069 GTIN 4015613602486



Combi steamer Silversteam P-5111DRS Add on Products

Base unit Silversteam 2-110

CNS



• Type of drawers:

Number of drawers:

• Height adjustable:

• Colour:

Format drawers:

• Base shelf:

• Material:

Longitudinal

400 mm to 450 mm

Silver

1/1 GN

No

Chrome-nickel steel

Code-No. 115071 GTIN 4015613617589

Base unit Silversteam 6040



• Material:

· Colour:

Silver

• Type of drawers:

Longitudinal

CNS 18/10

• Number of drawers:

10 1/1 GN

No

• Format drawers:

600 x 400 mm

• Base shelf:

Code-No. 115079 GTIN 4015613682051