

Automatic coffee machine Easy Plus 550



Description

From a range of coffee specialities with or without milk and beverages with milk froth to heating hot water — this machine does it all. A tank volume of 4 litres and a bean container with a capacity of 550 grams makes it ideal for staff areas or conference rooms.

Features

- Material:
- · Colour:
- Operating system:
- Control lamp:
- ON/OFF switch:
- Brewing group(s):
- · Video display:

Plastic Black Android Standby

Yes

Individual playable via USB

Up to 3 videos can be saved

Video can be stored for individual process (switch on, standby, preparation)



- Max. output:
 - ✓ Sixty 120 ml cups/hour (single cup spout)
 - ✓ Eighty 120 ml cups (double cup spout)
- Capacity of grounds container: Approx. 35 cups



- ▶ 16 preset programs, can be overwritten with custom programs
- ✓ Further programs can be saved
- Cup counter
- ► Hot water function
- ► Hot milk function
- Descaling signal



- 1 bean container (550 g)
- ► 4 adjustable grinding settings
- Powdered coffee option



- ► Milk frother
 - ✓ 2 manually adjustable milk temperature settings

▶ Continue on the next page







Automatic coffee machine Easy Plus 550

· Important information: Brewing unit: 50,000 poured drinks

This coffee machine has wearing parts

From a water hardness of 5° dH upwards, we urgently recommend

installing the water filter KV1

Failure of these wearing parts after reaching the respective reference quantity does not mean that the coffee machine is defective. Pump, Drainage valve, grinding mechanism and seals: 25,000 pou-

Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks

• Design: Complete machine

· Minimum brewing quantity: 15 ml

Powerful heating: 2 x 1,400 W Properties:

Water tank with handle

For automatic pulp ejection, the pulp container and base plate are

pre-stamped for the cut-out

• Designed for: 50 cups / day · Including: 1 milk hose, 50 cm 1 universal key

• Output max.: 60 cups of 120 ml / hour (single cup outlet) 80 cups of 120 ml / hour (double cup outlet)

· Power load: 1,5 kW | 230 V | 50 Hz

· Number of bean containers: • Content bean container: 550 g • Bean-/topping containers lockable: No · Detachable bean/topping containers: No

• Cup counter: Per program and total

• Decalcification signal: Yes · Filling level display: yes · Control unit: Touch · IoT-capable:

· Setting possibilities: Operator mode (standard, self-service mode, professional mode)

Drink names 4 grinding levels Video display Pre-brewing quantity Water quantity Water quantity Water tank

· Water connection:

4 litre(s) · Water tank capacity: · Detachable water tank: Yes · Milk container: No

· Milk supply: External via tube

Manually adjustable in 2 levels (cold and hot milk)

· Programs: Password-protected menu

16, preset, individual write-over possible Others can be stored indefinitely

· Hot water function: yes · Hot milk function: Yes · Grinding mechanism: Cone grinder · Grinder material: Steel • Pressure system: Piston pressure • Pump pressure: 19 bar USB connection: Yes · Milk frother:

Manual milk temperature setting in 2 levels

· Height-adjustable outlet: 80 - 160 mm ves

· Cleaning program:

Cleaning cycles memory



• Water supply:





Automatic coffee machine Easy Plus 550

• Display: Programs Volume

Status

Descaling and cleaning info

Fault messages

Automatic turn-off:
Ye

• Residues container capacity: Approx. 35 cups

• Residues container dishwasher-suitable: Ye

• Ground coffee option: Individual cups Manual 5 - 14 g

• Multi cups:

• Size: W 350 x D 525 x H 475 mm

• Weight: 15.17 kg







Automatic coffee machine Easy Plus 550 Add on Products











Automatic coffee machine Easy Plus 550 Add on Products

