

Vacuum packaging machine 290/4



Description

Features

- Power load: 0,63 kW | 230 V | 50 Hz
- Control lamp: yes
- Digital display: Yes
- Number of welded joints: 1
- Length welding rod: 290 mm
- Vacuum pump: approx. 77 L / min. (4.62 m³ / hours)
- Vacuum control: Electronic
- Vacuuming intensity can be regulated: In 5 levels and manual
- Including: -
- Welding duration can be regulated: 0 - 6 seconds
- Properties: -
- Functions: Combined vacuuming and sealing
Marinating
- Material: Stainless steel
- Important information: -
- Material lid: Polymethyl methacrylate (PMMA)
- Maximum vacuum: -992 mbar

► Continue on the next page

Vacuum packaging machine 290/4

- Colour: Silver
- Chamber dimensions: W 350 x D 300 x H 110 mm
- Control unit: Knob
- Lighting: No
- ON/OFF switch: Yes
- Size: W 360 x D 500 x H 350 mm
- Weight: 25 kg



Vacuum packaging machine 290/4

Add on Products

Vacuum bags K1,2L



- Content: 1,2 litre(s)
- Order quantity unit: 1 pack (100 bags)
- Bag size: 160 x 250 mm
- Designed for: Chamber vacuuming units
- Design: Smooth
- Sous-Vide suitable: Yes
- Properties: 4-layer

Code-No. 300311
GTIN 4015613610320

Vacuum bags K2,5L



- Content: 2,5 litre(s)
- Order quantity unit: 1 pack (100 bags)
- Bag size: 200 x 300 mm
- Designed for: Chamber vacuuming units
- Design: Smooth
- Sous-Vide suitable: Yes
- Properties: 4-layer

Code-No. 300312
GTIN 4015613610337

Vacuum sealer roll set 220



- Set comprises: 2 vacuum film rolls
- Width roll: 22 cm
- Important information: -
- Length roll: 5 m
- Sous-Vide suitable: Yes
- Size: W 220 x D 40 x H 40 mm
- Weight: 0.46 kg

Code-No. 300418
GTIN 4015613474946

Vacuum sealer roll set 280



- Set comprises: 2 vacuum film rolls
- Width roll: 28 cm
- Important information: -
- Length roll: 5 m
- Sous-Vide suitable: Yes
- Size: W 50 x D 280 x H 50 mm
- Weight: 0.51 kg

Code-No. 300419
GTIN 4015613474953