

Cerane stove 600, W600, 4HTzon. eLO



Description

Series 600 - High performance cooking appliances achieved through practical space efficient modular construction. Construction and configuration to meet your requirements. Appliances made from high quality chrome nickel steel 18/10 for long service life with compact construction.

Features

• Temperature range:	50 °C to 250 °C
• Type:	Upright unit
• Material:	CNS 18/10
	Glass
• Important information:	-
• Power load:	10,2 kW 400 V 50 Hz
• Height-adjustable feet:	Yes
• Properties:	-
• Equipment connection:	3 NAC
• Distribution of hobs:	2 x 2,5 kW, 1 x 1,8 kW , 1 x 1,2 kW
• Oven functions:	Circulating air
	Grill
	Upper / lower heat
• Large hobs:	2 x Ø 230 mm, 1 x Ø 180 mm , 1 x Ø 145 mm
• Material hob:	Glass
• Oven type:	Electro
• Including:	1 grille

► Continue on the next page

Cerane stove 600, W600, 4HTzon. eLO

- Including: 1 baking tray
- Oven volume: 58 litre(s)
- Series: 600
- Operating mode: Electro
- Oven connected load: 2,2 kW
- Type of hobs: Glass ceramic
- Gastronorm: -
- Size oven: W 450 x D 380 x H 315 mm
- Number of hobs: 4
- Oven properties: Double-winged door pane
- Multifunctional oven: Yes
- Size: W 600 x D 600 x H 900 mm
- Weight: 58 kg



Cerane stove 600, W600, 4HTzon. eLO

Add on Products

Combi-Scraper



- Properties: Replaceable blade
- Designed for: Steel plates
Grilles
- Important information: -
- Material: Plastic
Aluminium
- Size: W 110 x D 210 x H 30 mm

Code-No. 529712
GTIN 4015613605500

Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 2 boxes (1 box of 6 cans)
- Size: W 65 x D 65 x H 240 mm

Code-No. 173060
GTIN 4015613498508

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043
GTIN 4015613664255

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Cerane stove 600, W600, 4HTzon. eLO

Add on Products

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512
GTIN 4015613735481

Cerane stove 600, W600, 4HTzon. eLO

Add on Products

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513
GTIN 4015613735498

Device linking strip

- Important information: -
- Material: CNS 18/10
- Size: W 5 x D 530 x H 15 mm
- Weight: 0.13 kg

Code-No. 132060
GTIN 4015613323787

Cookware set T4P1

CNS



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -
- Set comprises: 4 pots with a lid and 1 pan

Code-No. A130442
GTIN 4015613417158

Thermometer A1020 KTP

STAINLESS
STEEL



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -20 °C to 102 °C

Code-No. 292044
GTIN 4015613664293

Cerane stove 600, W600, 4HTzon. eLO

Add on Products

Baking tray MF6430



- Important information: -
- Material: Steel plate
Enamelled
- Size: W 442 x D 362 x H 33 mm
- Weight: 1 kg

Code-No. 206203
GTIN 4015613702148

Oven grid 442x373x26

- Important information: -
- Size: W 442 x D 373 x H 26 mm
- Weight: 0.89 kg

Code-No. 132648
GTIN 4015613769073

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas

Code-No. 173280
GTIN 4015613761183