





The Bartscher combi steamer from the Silversteam series has electronic controls, a cleaning system, and 5 shelves in GN 2/3 format – it's the ideal partner for every kitchen. Diverse meals can be prepared with different timing using the rack control function. Simple cooking with the Silversteam keeping an eye on everything for you.

Features

- · Equipment connection:
- Temperature range:
- · Control unit: Functions:
- Power load: 3,3 kW | 230 V | 50 Hz
 - Pluggable
 - 50 °C to 300 °C
 - Touch
 - Circulating air
 - Steam

 - Delta-T cooking

 - Steam production by means of direct injection
- Continuous operation:
- · Vapour extractor:

· Rack control:

- · Core temperature sensor connection:
- USB connection:

- Combi-steaming
- Low temperature cooking
- Reversing motor direction (fan wheels)
- Automatic 3-level cleaning system with drying program
- - Yes
- Yes Side Side
- ▶ Continue on the next page





- Automatic 3-level cleaning system with drying program
- Rack control
 - ✓ To enable the selection of a program for each shelf



► Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- Double door glazing, inner door can be opened easily for cleaning
- Vapour extractor is easy to regulate
- Bearing rails can be detached
- 3 fan speed settings







Fan speed: 3 levels
Type of drawers: Crosswise
Number of drawers: 5
Distance between trays: 74 mm
Water connection: 3/4"

• Time adjustment: 0 to 599 minutes

Number of fans:

• Properties: Rounded baking chamber

Bearing rails can be detached Double-winged door pane LED lighting in door

Pluggable
• LED display: Steaming

Delta-T cooking Cooking phases Core temperature Fan speed Program Temperature Time

Available on request:Control lamp:

Series: Silversteam

Temperature control: Stepless

Interior lighting: Yes

Format drawers: 2/3 GN

Operating mode: Electro

• With cleaning system: Yes
• Material: CNS 18/10

• Important information: From a water hardness of 5° d.H upwards, we urgently recommend

fitting a suitable water softener and a water pressure of maximum

3 bar

Material cooking chamber: CNS 18/10
 Including: 1 grille 2/3 GN
 1 tray 2/3 GN

1 tray 2/3 GN 1 water supply hose

1 supply hose for cleaning agents

Number of cooking phases:

• Size:

• Number of cooking programs: 300 pre-installed programs

300 configurable programs W 620 x D 775 x H 675 mm

• Weight: 59.2 kg







Add on Products

Base unit Silversteam 230

CNS



• Height-adjustable feet:

Base shelf:

• Material:

· Colour:

• Important information:

• Size: • Weight: No

Chrome-nickel steel

Silver

W 570 x D 515 x H 741 mm

10.6 kg

Core temperature sensor set 1KA

STAINLESS STEEL



• Set comprises:

1 core temperature sensor 1 holder

1.8 m

• Length cable:

• Material temperature sensor: Stainless steel

• Important information: • Designed for:

Combi steamers series Silversteam

• Size:

W 180 x D 265 x H 25 mm

Code-No. 116009 GTIN 4015613595139

Pump set f. combi steamer



• Set comprises:

1 plastic canister (5 litres)

1 pump

1 supply hose: canister - pump (150 cm)

1 supply hose: pump - steaming pipe (80 cm)

Installation material

• Important information:

Material:

Plastic

Code-No. 116011 GTIN 4015613595146

Hand shower f. combi steamer



• Length hose:

Properties:

Shutoff valve for fixed connection to water

supply 1/2" 1 holder

• Including:

• Important information:

• Water connection: Material:

1/2" Plastic

Code-No. 116005 GTIN 4015613587189




Add on Products











Combi steamer Silversteam 5230DRS Add on Products

Intensive power cleaner F1L, set of 2



• Order quantity unit:

1 box (2 bottles) 2 x 1 litre

• Content:

• Ph level:

14

 HACCP compliant: • Chlorine-free:

Yes Yes

• Phosphate-free: • Including:

Yes 1 spray head

Code-No. 173080 GTIN 4015613731933

Combi steamer cleaner RS-5L



• Order quantity unit:

1 canister

• Designed for:

Combi steamers with an automatic dosing sys-

tem

• Ph level:

HACCP compliant:

No

• Chlorine-free: • Phosphate-free: Yes No

Code-No. 116299V GTIN 4015613813042