

Fermenting cupboard PR6040-16



- ▶ 16 drawers
- ✓ Format: 600 x 400 mm



- ▶ Temperature range up to 50°C
- ▶ Humidity: 10 to 95%
- ▶ Automatic humidity control: Up to 99%
- ▶ Steam generator output: 1.2 kW
- ▶ Automatic cooling: Yes

Description

Temperature, humidity and time can be electronically controlled for the fermentation process. The ideal climate for dough is created in particular by the innovative air circulation technology and external air supply.

Features

- Heating output: 1,2 kW
- Steam generator: External steam-box
- Steam generator output: 1,2 kW
- Display: Humidity
Temperature
Time
- Swivel casters: 2 casters, 2 swivel casters with brakes
- Diameter casters: 80 mm
- Material inside: Stainless steel
- Format drawers: 600 x 400 mm
- Type of drawers: Longitudinal
- Number of drawers: 16
- Distance between trays: 70 mm
- Temperature range to: 50 °C
- Temperature control: In 0.1 °C steps
- Humidity: 10 % to 95 %
- Automatic humidity control: Up to 99 %

▶ Continue on the next page

Fermenting cupboard PR6040-16


- Time setting: 1 to 999 minutes
- Water connection: Continuous operation
- Water intake temperature: R3/4"
- Interior lighting: 10 °C to 40 °C
- Control unit: LED
- Operation: Electronic
- Series: Manual
- Control lamp: PR
- Equipment connection: Heat up
- Properties: ON/OFF
- Including: Humidity
- Power load: Pluggable
- Material: Innovative air circulation technology
- Important information: Water supply hose
- Estimated delivery time from our warehouse in Salzotten, Germany is week: 2,5 kW | 230 V | 50 Hz
- Size: 31 / 2022
- Weight: A pressure reducer is required from a water pressure of 3,5 bar
- Weight: 92 kg



Fermenting cupboard PR6040-16

Add on Products

Installation kit LBO100



- Important information: -
- Material: Stainless steel
Rubber
Plastic
- Set comprises: Condensate collection box
Condensate hoses
Installation materials

Code-No. 117948
GTIN 4015613805139

Installation kit LBO10



- Material: Stainless steel
Rubber
Plastic
- Important information: -
- Combination examples: Convection oven MC6040-5 + base frame
LBO6040-5 + condensation hood LBO800

Code-No. 117922
GTIN 4015613771755

Installation kit LBO80



- Material: Stainless steel
Rubber
Plastic
- Important information: -
- Set comprises: Condensate collection box
Condensate hoses
Installation materials

Code-No. 117946
GTIN 4015613772264

Installation kit LBO20



- Set comprises: Condensate collection box
Condensate hoses
Installation materials
Water drainage hoses
Water supply pressure gauge
Water supply hoses
Vapour extractor

Code-No. 117923
GTIN 4015613771762

Fermenting cupboard PR6040-16

Add on Products


Installation kit LBO40



- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117936
GTIN 4015613796451


Installation kit LBO60



- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117938
GTIN 4015613796512


Installation kit LBO70



- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117945
GTIN 4015613796468

Installation kit LBO90




- Set comprises:
 - Condensate collection box
 - Condensate hoses
 - Installation materials
 - Water drainage hoses
 - Water supply pressure gauge
 - Water supply hoses
 - Vapour extractor

Code-No. 117947
GTIN 4015613796499

Fermenting cupboard PR6040-16 Add on Products

Proofing cabinet extension PR6040-16

STAINLESS
STEEL



- Designed for: Fermenting cupboard PR6040-16
- Including: Attachment material
- Material: Stainless steel
- Important information: -
- Estimated delivery time from our warehouse in Salzkotten, Germany is week: 31 / 2022

Code-No. 117928
GTIN 4015613771786