

## Gas stove MFG 7360



- ▶ 6 hobs
- ✓ Gas burner: Single burner
- ✓ Large hobs: 330 x 300 mm
- ✓ Distribution of hobs: 3 x 3.5 kW, 3 x 6 kW



- ▶ Electric oven
- ✓ 2/1 GN

### Description

The gas oven series MFG – Starter models for the professional field in a solid design made of stainless steel. Due to the intuitive operation with a pilot flame, they are ideally suited for everyday use in the kitchen.

### Features

- Connected load oven: 6 kW | 400 V | 2 NAC
- Temperature range: 100 °C to 300 °C
- Type: Upright unit
- Material: Stainless steel
- Gas type: Natural gas H (20 mbar)  
Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
- Important information: -
- Power: 28,5 kW
- Gas burner: Single burner
- Ignition type: Manual ignition
- Height-adjustable feet: Yes
- Properties: Cast iron grille  
Gas burner with ignition guard  
Stainless steel handles
- Pilot flame: Yes
- Distribution of hobs: 3 x 3,5 kW, 3 x 6 kW
- Size hobs: 330 x 300 mm

▶ Continue on the next page

## Gas stove MFG 7360

- Oven functions: Upper / lower heat
- Including: 1 grille
- Multifunctional oven: No
- Series: MFG
- Oven type: Electro
- Operating mode: Electro / gas
- Type of hobs: Gas
- Vapour extractor: Yes
- Number of hobs: 6
- Size oven: W 650 x D 580 x H 260 mm
- Sub-counter unit type: Open
- Gastronorm: 2/1 GN
- Height adjustable: 910 mm to 955 mm
- Size: W 1,200 x D 700 x H 910 mm
- Weight: 129.4 kg



## Gas stove MFG 7360

### Add on Products

#### Tray 2/1GN, 20 mm

CNS  
18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Content: 6,9 litre(s)

Code-No. A101181  
GTIN 4015613271699

#### Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 1 box of 6 cans (Minimum order quantity 2 boxes)

Code-No. 173060  
GTIN 4015613498508

#### Cookware set T4

CNS  
18/10



Code-No. A130441  
GTIN 4015613403977

#### Cookware set T4P1

CNS



- Handle properties: Cold handle(s)
- Induction-suitable: Yes
- Material handle(s): Chrome-nickel steel
- With pouring rim: Yes
- Material: Chrome-nickel steel
- Important information: -

Code-No. A130442  
GTIN 4015613417158

## Gas stove MFG 7360 Add on Products

### Thermometer D3000 KTP

STAINLESS  
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043  
GTIN 4015613664255

### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173080  
GTIN 4015613731933

### Oven gloves 300



- Properties: With flame protection  
Fabric density: 640 g/m<sup>2</sup>  
With hanger
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500510  
GTIN 4015613735467

## Gas stove MFG 7360

### Add on Products

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511  
GTIN 4015613735474

#### Oven gloves 420



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500512  
GTIN 4015613735481

#### Oven gloves 600



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500513  
GTIN 4015613735498

#### Thermometer A1020 KTP

STAINLESS  
STEEL



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -20 °C to 102 °C

Code-No. 292044  
GTIN 4015613664293