

Low-temperature cooker 1,2kW



- ▶ Drawers up to 3 x 1/1 GN or 600 x 400 mm
- ▶ Distance between the drawers: 80 mm
- ▶ COOK function
 - ✓ Low temperature cooking up to max. 110 °
- ▶ HOLD function
 - ✓ Holding at a precise temperature
- ▶ Core temperature sensor
- ▶ Bearing rails can be detached

Description

Cooking and keeping warm in one – gentle preparation thanks to even heat that comes from all sides.

Features

- Power load: 1,2 kW | 230 V | 50 Hz
- Temperature range: 30 °C to 110 °C
- Control unit: Electronic
- Number of drawers: 3
- Distance between trays: 80 mm
- Properties: Rounded baking chamber
Pluggable
Bearing rails can be detached
- Door hinge side can be changed: Yes
- Carrying handle: Yes
- Door hinge side: Left
- Temperature control: Stepless
- Digital display: Yes
- Format drawers: 1/1 GN
600 x 400 mm
- Material: Stainless steel
- Important information: -

▶ Continue on the next page

Low-temperature cooker 1,2kW

- Functions:
 - Low temperature cooking
 - HOLD function - for keeping warm at a precise temperature
 - COOK function - for low-temperature cooking up to max. 110 °C
- Control lamp:
 - Heat up
 - ON/OFF
 - Temperature
 - Core temperature
 - Steaming
 - Keeping warm
- Type of drawers:
 - Longitudinal
- Including:
 - 1 core temperature sensor
 - 1 pair of bearing rails for metal sheets 600 x 400
- Size:
 - W 505 x D 715 x H 415 mm
- Weight:
 - 42.2 kg



Low-temperature cooker 1,2kW

Add on Products

Grease drip container 600 x 400



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 605 x D 405 x H 45 mm
- Weight: 2.8 kg

Code-No. 525782
GTIN 4015613658414

GN container, 1/1, D20



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 20 mm
- Gastronorm: 1/1 GN

Code-No. A121025
GTIN 4016098166722

GN container, 1/1, D40



- Content: 5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 40 mm

Code-No. A121040
GTIN 4015613271064

GN container, 1/1, D65



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065
GTIN 4016098162755

Low-temperature cooker 1,2kW Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Low-temperature cooker 1,2kW

Add on Products

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100416
GTIN 4015613734712


Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743


Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427
GTIN 4015613734750

Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428
GTIN 4015613734767