

Combi steamer Silversteam2 5230DRS



Description

The Bartscher Silversteam2 combi steamer has five 2/3 GN inserts and an impressive integrated cleaning system. With or without a core temperature sensor, the electronic controls enable the demand-based regulation of all cooking processes. The rack control function allows different foods to be prepared at different times.

Features

- Material: CNS 18/10
- Material cooking chamber: CNS 18/10
- Power load: 3,3 kW | 230 V | 50 Hz
- Important information: From a water hardness of 5° dH upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Format drawers: 2/3 GN
- Equipment connection: Pluggable
- Type of drawers: Crosswise
- Number of drawers: 5
- Distance between trays: 74 mm

▶ Continue on the next page



- ▶ Up to 5 x 2/3 GN
- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- ▶ Automatic 3-phase cleaning system with drying program



- ▶ Rack control
 - ✓ To enable the selection of a program for each shelf

- ▶ Cooldown during cooking phase



- ▶ Double door glazing, inner door can be opened easily for cleaning
- ▶ Vapour extractor is easy to regulate
- ▶ Removable support rails

Combi steamer Silversteam2 5230DRS



- Functions:
 - Steam production by means of direct injection
 - Steam
 - Low temperature cooking
 - Automatic 3-level cleaning system with drying program
 - Combi-steaming
 - Circulating air
 - Reversing motor direction (fan wheels)
 - Delta-T cooking
 - Cooldown during cooking phase
 - Manual steaming
- Cooking mode:
 - Recipe tuner
 - One-touch recipe selection
 - Manual
- Rack control:
 - Yes
- With cleaning system:
 - Yes
- Number of cooking programs:
 - 300 configurable programs
 - 300 pre-installed programs
- Number of cooking phases:
 - 9
- Temperature range:
 - 50 °C to 300 °C
- Temperature control:
 - In 1 °C steps
- Number of fans:
 - 1
- Fan speed:
 - 3 levels
- Time adjustment:
 - 0 to 5999 minutes
- Continuous operation:
 - Yes
- Core temperature sensor connection:
 - Front, bottom
- USB connection:
 - Front, bottom
- Vapour extractor:
 - Yes
- Water connection:
 - 3/4"
- Interior lighting:
 - Yes
- LED display:
 - Delta-T cooking
 - Fan speed
 - Steaming
 - Cooking phases
 - Time
 - Core temperature
 - Program
 - Temperature
- Control unit:
 - Touch
- Control lamp:
 -
- Series:
 - Silversteam2
- Operating mode:
 - Electro
- Properties:
 - Pluggable
 - LED lighting in door
 - Rounded cooking chamber
 - Bearing rails can be detached
 - Double-winged door pane
- Including:
 - 1 grid 2/3 GN
 - 1 supply hose for cleaning agents
 - 1 tray 2/3 GN
 - 1 water supply hose
- Available on request:
 -
- Size:
 - W 635 x D 775 x H 675 mm
- Weight:
 - 61 kg

Combi steamer Silversteam2 5230DRS

Add on Products

Base unit Silversteam 230

CNS



- Material: Chrome-nickel steel
- Designed for: 2/3 GN combi-steamers Silversteam2 series
2/3 GN combi-steamers Silversteam series
- Important information: -
- Colour: Silver
- Base shelf: Yes
- Height-adjustable feet: No

Code-No. 115075
GTIN 4015613610641

Hand shower f. combi steamer



- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"

Code-No. 116005
GTIN 4015613587189

Pump set f. combi steamer



- Material: Plastic
Metal
- Important information: -

Code-No. 116011
GTIN 4015613595146

Smoker-Box 1160



- Material: Stainless steel
- Model: With heating coil
- Designed for: Combined steamer
- Important information: Maximum smoking temperature: 200 °C
- Comprising: Mains adapter
Smoker-Box
- Volume: 1,16 litre(s)

Code-No. 117712
GTIN 4015613779195

Combi steamer Silversteam2 5230DRS

Add on Products

Pressure regulator



- Material: Brass
Chrome-plated
- Important information: -
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar

Code-No. 533051
GTIN 4015613468617

GN-container, 2/3 GN,D20, Basic Line

CNS



- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 20 mm
- Gastronorm: 2/3 GN
- Norm: EN 631

Code-No. 723020
GTIN 4015613695624

GN-container, 2/3GN,D65, Basic Line

CNS



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 65 mm
- Gastronorm: 2/3 GN

Code-No. 723065
GTIN 4015613695648

GN-container, 2/3GN,D100, Basic Line

CNS



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Surface: Silk matt
- Depth container: 100 mm
- Gastronorm: 2/3 GN

Code-No. 723100
GTIN 4015613695655

Combi steamer Silversteam2 5230DRS

Add on Products

GN container, 2/3, D65, perforated

CNS
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A103065
GTIN 4015613278940

GN container, 2/3, D65

CNS
18/10



- Content: 5,5 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A125065
GTIN 4015613271217

GN container, 2/3, D100

CNS
18/10




- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A125100
GTIN 4015613271224

GN tray 2/3

CNS
18/10



- Gastronorm: 2/3 GN
- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm

Code-No. A101195
GTIN 4015613271781

Combi steamer Silversteam2 5230DRS

Add on Products

Perforated tray 2/3-AL



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100417
GTIN 4015613734729

Perforated tray 2/3-SI



- Diameter perforation: 3 mm
- Gastronorm: 2/3 GN
- Edge: 4 sides, cover
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100425
GTIN 4015613734736

BBQ Gloves 425



- Material: Aramid
Silicone print

Code-No. A500514
GTIN 4015613822433

Oven gloves 370



- Properties: With flame protection
With hanger
- Material: Fabric density: 640 g/m²
Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511
GTIN 4015613735474

Combi steamer Silversteam2 5230DRS

Add on Products

Combi steamer cleaner RS-5L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Ph level: 14
- HACCP compliant: No
- Chlorine-free: Yes
- Phosphate-free: No

Code-No. 116299V
GTIN 4015613813042

Combi steamer cleaner F10L



- Order quantity unit: 1 canister
- Designed for: Combi steamers with an automatic dosing system
- Content: 10 litres
- Model: Liquid
- Ph level: 13
- HACCP compliant: Yes

Code-No. 173279
GTIN 4015613767925

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173278
GTIN 4015613773346

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280
GTIN 4015613773353