

Induction cooker IK 20



- Power: 2 kW
- ► Hob diameter: 210 mm
- ► Hob material: Glass
- ► Regulation of: Power | Temperature | Time
- ► Time setting: 0 to 180 minutes

Description

Whether as an extra hob when it's really busy or if you need to cook outside, this handy mobile induction cooker is extremely versatile. As well as the 2,000 watts of power, you can adjust the temperature and time as required.

60 °C to 240 °C

Features

Temperature range:

• Number of temperature levels: 10

• Power load: 2 kW | 230 V | 50/60 Hz

• Equipment connection: Pluggable

• Control unit: Electronic Knob

• Number of hobs: 1

Type of hobs: Induction
Overheating protection: Yes
Digital display: Yes

• ON/OFF switch: Yes
• Colour: Black
• Number of output levels: 10

Number of output levels:
 Properties:
 Material hob:
 Regulation of:
 Output
 Temperature

▶ Continue on the next page







Induction cooker IK 20

Regulation of: TimeMaterial: Plastic Glass

Important information:

 Output hob(s) max.:
 Intervals time setting:
 Time adjustment:
 Intervals temperature setting:

 O to 180 minutes
 Intervals temperature setting:

Diameter hob(s):
 Size cerane surface:
 W 275 x D 285 mm

Can be installed: No
 Pot recognition: Yes
 Lock button (child protection): No
 Control lamp: Output Temperature Time

Core temperature sensor: No
 Size: W 285 x D 340 x H 60 mm

• Weight: 2.5 kg







Induction cooker IK 20 **Add on Products**

