

## Wall-mounted hood 700, W1600

### Description

### Features

- |                            |   |
|----------------------------|---|
| • Material:                | CNS 18/10   |
| • Operating mode:          | Exhaust air   |
| • Important information:   | -   |
| • Assembly type:           | Wall  |
| • With motor:              | No  |
| • Flame protection filter: | Type A  |
| • Number of filters:       | 3   |
| • Material filter:         | CNS 18/10   |
| • Protection class:        | IP44  |
| • Lighting:                | yes   |
| • Lamps (number + watt):   | 1 x 36 W  |
| • Available on request:    | Ceiling hood<br>Wall hood series 1100<br>Other sizes  |
| • Properties:              | Blare-free light installed with grease protection cover<br>Filter carrier with additional grease collection channel |
| • Including:               | -   |

▶ Continue on the next page

## Wall-mounted hood 700, W1600

- Power load: 0,036 kW | 230 V | 50-60 Hz
- Size: W 1,600 x D 700 x H 450 mm
- Weight: 33 kg

## Wall-mounted hood 700, W1600

### Add on Products

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080  
GTIN 4015613731933

#### Control, steplessly variable



- Important information: -
- Material: Plastic
- Designed for: Extractor hoods with 1 phase
- Protection class: IP54
- Control unit: Toggle
- ON/OFF switch: Yes
- Light switch: Yes

Code-No. 220110  
GTIN 4015613603056