

Wall-mounted hood 900, W1400

Description

Features

- | | |
|----------------------------|---|
| • Material: | CNS 18/10 |
| • Operating mode: | Exhaust air |
| • Important information: | - |
| • Assembly type: | Wall |
| • With motor: | No |
| • Flame protection filter: | Type A |
| • Number of filters: | 2 |
| • Material filter: | CNS 18/10 |
| • Protection class: | IP44 |
| • Lighting: | yes |
| • Lamps (number + watt): | 1 x 36 W |
| • Available on request: | Ceiling hood
Wall hood series 1100
Other sizes |
| • Properties: | Blare-free light installed with grease protection cover
Filter carrier with additional grease collection channel |
| • Including: | - |

▶ Continue on the next page

Wall-mounted hood 900, W1400

- Power load: 0,036 kW | 230 V | 50-60 Hz
- Size: W 1,400 x D 900 x H 450 mm
- Weight: 32 kg

Wall-mounted hood 900, W1400

Add on Products

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Control, steplessly variable



- Important information: -
- Material: Plastic
- Designed for: Extractor hoods with 1 phase
- Protection class: IP54
- Control unit: Toggle
- ON/OFF switch: Yes
- Light switch: Yes

Code-No. 220110
GTIN 4015613603056