

Wall-mounted hood 900 w.motor, W1700

Description

Features

- Fan regulation: Via an external controller
- Cut-out for the motor: 232 x 208 mm
- Available on request: Ceiling hood
Wall hood series 1100
Other sizes
- Lighting: yes
- Flame protection filter: Type A
- Material filter: CNS 18/10
- Number of filters: 3
- Including: -
- Material: CNS 18/10
- Important information: Can only be commissioned with an additional controller
- Number of fan motors/exhaust air outputs: 1
- Power load: 0,202 kW | 230 V | 50-60 Hz
- Operating mode: Exhaust air
- Assembly type: Wall
- Properties: Blare-free light installed with grease protection cover

▶ Continue on the next page

Wall-mounted hood 900 w.motor, W1700

• Properties:	Filter carrier with additional grease collection channel
• Motor output:	184 W
• Lamps (number + watt):	1 x 18 W
• Protection class:	IP44
• Max. air throughput:	1400 m ³ /h
• Size:	W 1,700 x D 900 x H 450 mm
• Weight:	44 kg

Wall-mounted hood 900 w.motor, W1700

Add on Products

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Control, steplessly variable



- Important information: -
- Material: Plastic
- Designed for: Extractor hoods with 1 phase
- Protection class: IP54
- Control unit: Toggle
- ON/OFF switch: Yes
- Light switch: Yes

Code-No. 220110
GTIN 4015613603056