

Coffee machine Coffeeline B20



Description

To experience real coffee pleasure, a portafilter coffee machine from Bartscher is your best bet, because it really allows the taste nuances of your coffee to develop to their fullest. It's incomparable and cannot be replaced by any other method of preparing coffee, giving a unique and delectable freshly-brewed coffee aroma.

Features

- Number of boilers: 1
- Power load: 3,35 kW | 230 V | 50-60 Hz
- Material: Steel plate
Painted
- Brewing group(s): 2
- Important information: -
- Content: 11.5 litres
- Steam taps: 2
- Control lamp: Cool-Touch
Heat up
Lighting
- Hot water taps: 1
- ON/OFF switch: Yes
- Programs: 3
- Properties: LED lighting, separately switchable
Diverse coffee specialty settings
- Automatic boiler filling: Yes

▶ Continue on the next page



- ▶ 1 boiler
- ▶ Volume: 11.5 litres



- ▶ 2 brewing groups



- ▶ 2 steam taps
- ▶ 1 hot water tap



- ▶ 3 programs



- ▶ Controllable hot water output

Coffee machine Coffeeline B20

- Design: Sieve carrier
- Automatic brewing group cleaning: Yes
- Including: 1 drain hose, 150 cm
1 portafilter with 1 outlet
2 portafilters with 2 outlets
1 supply hose, 55 cm
- Cleaning programs: Yes
- Automatic water intake through solenoid valve: Yes
- Pre-brewing: Yes
- Hot water release regulation: Yes
- Pressure display via manometer: Yes
- Timer: Yes
- Display: Boiler temperature adjustment
Drink selection and programming
Start of cleaning program
Timer
Pre-brewing
Warning notes
- Control unit: Electronic
Toggle
Knob
- Digital display: Yes
- Equipment connection: Pluggable
- Size: W 770 x D 575 x H 465 mm
- Weight: 58.6 kg



Coffee machine Coffeeline B20

Add on Products

Coffee grinder Tauro Digital



- Display: Yes
- Material: Stainless steel
Plastic
Steel
Painted
- Dosing regulation: 5 - 12 g
- Grinding mechanism: Disc grinder

Code-No. 190225
GTIN 4015613806228

Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Designed for: Coffee machines
Combined steamer

Code-No. 109847
GTIN 4015613743899

Water meter W3B-1



- Colour: Steel grey
- Designed for: Water filter system K3600L
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Water connection: 1/4"
- Water pressure: 3 bar
- Operated via: Batteries (2 x AA)

Code-No. 109849
GTIN 4015613744117

Water filter system K1500L EW




- Output capacity: 1,500 litres / at 10° KH (carbonate hardness)
- Designed for: Coffee machines
- Design: Disposable system
For horizontal and vertical installation
- Material: Polypropylene
- Important information: -
- Properties: Multiple use filter head

Code-No. 109879
GTIN 4015613710891

Coffee machine Coffeeline B20

Add on Products

Water meter W1-8B



- Water intake temperature from: 4 °C
- Water intake temperature to: 30 °C
- Operated via: Batteries (2 x AA)
- Material: Plastic
- Important information: -
- Colour: Grey
Black

Code-No. 109898
GTIN 4015613792798

Milk frother induction MSI400



STAINLESS
STEEL



- Power load: 0,6 kW | 230 V | 50/60 Hz
- Material: Stainless steel
- Important information: -
- Temperature range: 0 °C to 70 °C
- Control unit: Electronic
Knob
- Content: 0,4 litre(s)

Code-No. 190129
GTIN 4015613613413