

Bakery refrigerator 235



Description

Make cakes, tarts, bread loaves and rolls ahead of time and properly chill and store them on the appropriate tray until you're ready to process them further or serve them up. This bakery-standard refrigerator provides plenty of cool storage space for bakeries, cake shops, cafés and hotel kitchens.

Features

• Material:	Stainless steel
• Material inside:	Stainless steel
• Colour:	Silver
• Important information:	-
• Content:	550 litre(s)
• Useful content:	235 litre(s)
• Temperature range:	2 °C to 8 °C
• Temperature control:	Electronic
	In 1 °C steps
• Thermostat:	Yes
• Insulation:	Cyclopentane C5H10, 85 mm
• Cooling:	Circulating air
• Coolant:	R600a / 0,105 kg
• GWP:	3
• Climate class:	4
• Ambient temperature:	10 °C to 30 °C
• Energy efficiency class:	C (EU No. 2015 / 1094)

► Continue on the next page



► Content: 235 litres

► Climate class: 4



► 10 drawers

✓ 600 x 400 mm

✓ Spacing: 75 mm



► Lockable



► LED lighting

Bakery refrigerator 235

- Number of drawers: 10
- Energy consumption: 358 kWh / an
- Automatic defrosting function: Yes
- Drip water evaporation: Yes
- Format drawers: 600 x 400 mm
- Type of drawers: Longitudinal
- Distance between trays: 75 mm
- Lockable: Yes
- Interior lighting: Yes
- Digital display: Yes
- Control unit: Touch
- Number of doors: 1
- Type of door: Leaf door(s)
Self-closing
- Door hinge side: Right
- Door hinge side can be changed: Yes
- Height-adjustable feet: No
- ON/OFF switch: Yes
- Control lamp: ON/OFF
- Properties: 1 fan
Signal is sound when the door is left open too long
LED lighting
- Power load: 0,2 kW | 230 V | 50 Hz
- Size: W 705 x D 910 x H 2,085 mm
- Weight: 131.4 kg



Bakery refrigerator 235

Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:
- Application: Before use, bring the can to room temperature and shake well

Code-No. 173031
GTIN 4015613360195

Baking tray 600x400-AL



- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100412
GTIN 4015613734699

Perforated tray 600x400-AL



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C

Code-No. 100413
GTIN 4015613734705

Perforated tray 600x400-SI



- Diameter perforation: 3 mm
- Bakery norm: 600 x 400 mm
- Edge: 3 sides
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C


Code-No. 100416
GTIN 4015613734712

Bakery refrigerator 235

Add on Products

Grid 600x400, stainless steel

STAINLESS
STEEL



- Bakery norm: 600 x 400 mm
- Material: Stainless steel
- Important information: -
- Size: W 600 x D 400 x H 8 mm
- Weight: 1.4 kg

Code-No. 133264
GTIN 4015613638355

Thermometer A300

STAINLESS
STEEL



- Control unit: -
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigeration cell
- Temperature range: -30 °C to 30 °C
- Design: Analogue

Code-No. 292048
GTIN 4015613664262

Thermometer A500




- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -30 °C to 50 °C
- Designed for: Room temperature measurements
Refrigerators / upright freezers

Code-No. 292049
GTIN 4015613664286

Thermometer A250

STAINLESS
STEEL



- Important information: -
- Including: -
- Material: Stainless steel
Plastic
- Colour: White
Silver
- Design: Analogue

Code-No. 292043
GTIN 4015613664279