

## Gas stove 650, W700, 4BR, e10



### Description

Series 650 - a range of cooking equipment for the professional kitchen. The series is defined by optimum energy use, powerful appliances, and ease of cleaning. The modular design means that the appliances are easy to combine and can be arranged flexibly. The appliance structure consists entirely of 18/10 stainless steel.

### Features

- Connected load oven: 4.2 kW | 400 V | 3 NAC
- Temperature range: 110 °C to 280 °C
- Type: Upright unit
- Material: CNS 18/10
- Gas type: Liquid gas (50 mbar)  
Natural gas nozzles H (20 mbar) and L (20 mbar) are enclosed
- Important information: -
- Power: 18 kW
- Frequency: 50/60 Hz
- Pilot flame: Yes
- Distribution of hobs: 2 x 3.5 kW, 2 x 5.5 kW
- Oven functions: Circulating air
- Oven type: Electro
- Including: 1 grille  
1 baking tray
- Series: 650
- Operating mode: Electro / gas

▶ Continue on the next page

## Gas stove 650, W700, 4BR, e10

- Type of hobs: Gas
- Gastronorm: 1/1 GN
- Size oven: W 570 x D 490 x H 295 mm
- Number of hobs: 4
- Multifunctional oven: No
- Size: W 700 x D 650 x H 870 mm
- Weight: 71.8 kg



## Gas stove 650, W700, 4BR, eIO

### Add on Products

#### Baking tray series 650

- Important information: -
- Size: W 530 x D 490 x H 35 mm
- Weight: 2.2 kg

Code-No. 115805  
GTIN 4015613559339

#### Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 1 box of 6 cans (Minimum order quantity 2 boxes)

Code-No. 173060  
GTIN 4015613498508

#### Thermometer D3000 KTP

STAINLESS  
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043  
GTIN 4015613664255

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

## Gas stove 650, W700, 4BR, e10

### Add on Products

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173080  
GTIN 4015613731933

#### Oven gloves 300



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500510  
GTIN 4015613735467

#### Oven gloves 370



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511  
GTIN 4015613735474

#### Oven gloves 420



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500512  
GTIN 4015613735481

## Gas stove 650, W700, 4BR, eLO

### Add on Products


#### Oven gloves 600



- Properties: With flame protection  
With hanger  
Fabric density: 640 g/m<sup>2</sup>
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500513  
GTIN 4015613735498


#### Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428  
GTIN 4015613734767

#### Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427  
GTIN 4015613734750

#### Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426  
GTIN 4015613734743

## Gas stove 650, W700, 4BR, eIO

### Add on Products

#### Cookware set T4

CNS  
18/10



Code-No. A130441  
GTIN 4015613403977

#### Device linking strip 650



- Important information: -
- Size: W 20 x D 575 x H 8 mm
- Weight: 0.17 kg

Code-No. 110036  
GTIN 4015613215785

#### Thermometer A1020 KTP

STAINLESS  
STEEL



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens  
Refrigeration cell  
Freezer cell  
Refrigerated rooms
- Temperature range: -20 °C to 102 °C

Code-No. 292044  
GTIN 4015613664293

#### Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173280  
GTIN 4015613761183