

Gas stove GHU 4110



Description

Features

- Connected load oven: 3,1 kW | 230 V | Pluggable
- Temperature range: 50 °C to 300 °C
- Type: Upright unit
- Material: CNS 18/10
- Gas type: Natural gas H (20 mbar)
Liquid gas nozzles (50 mbar) are enclosed
- Gas burner: Two-circle burner
- Important information: -
- Power: 21 kW
- Frequency: 50 Hz
- Ignition type: Manual ignition
- Height-adjustable feet: Yes
- Properties: Hobs with removable collection tray
Gas burner with ignition guard
Drawer below the hob
Timer: 0 - 120 minutes
- Distribution of hobs: 2 x 3,5 kW, 2 x 7 kW

▶ Continue on the next page



- ▶ 4 hobs
- ✓ Total output: 21 kW
- ✓ 2 x 3.5 kW – front left, rear right
- ✓ 2 x 7 kW, two-circle hob – front right, rear left



- ▶ Circulating air stove
- ✓ 1/1 GN



- ▶ Hobs with removable collection tray



- ▶ Drawer below the hob

Gas stove GHU 4110

- Oven functions:
 - Circulating air
- Oven type:
 - Electro
- Including:
 - 2 baking trays
 - 1 grille
- Series:
 -
- Operating mode:
 - Electro / gas
- Gastronorm:
 - 1/1 GN
- Type of hobs:
 - Gas
- Size oven:
 - W 560 x D 390 x H 340 mm
- Number of hobs:
 - 4
- Vapour extractor:
 - Yes
- Multifunctional oven:
 - No
- Height adjustable:
 - 850 mm to 910 mm
- Size:
 - W 700 x D 700 x H 850 mm
- Weight:
 - 100.8 kg



Gas stove GHU 4110

Add on Products

Tray 1/1GN, 20 mm

CNS
18/10




- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101185
GTIN 4015613271729

GN grid 1/1, SS

CNS
18/10



- Material: CNS 18/10
- Important information: -
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091
GTIN 4016098175250

Baking spray 500ml



- Content / can: 500 ml
- Material: 100 % vegetable oils
- Designed for: Greasing forms, baking trays, pans and waffle irons
- Important information: -
- Order quantity unit: 2 boxes (1 box of 6 cans)
- Size: W 65 x D 65 x H 240 mm

Code-No. 173060
GTIN 4015613498508

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 35 mm

Code-No. 150687
GTIN 4015613711423

Gas stove GHU 4110

Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Gas stove GHU 4110

Add on Products

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512
GTIN 4015613735481


Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513
GTIN 4015613735498


Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427
GTIN 4015613734750

Gas stove GHU 4110

Add on Products

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743

Thermometer A1020 KTP



- Control unit: -
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -20 °C to 102 °C

Code-No. 292044
GTIN 4015613664293