

Combi steamer Silversteam P-7111D



Description

More efficiency and greater time savings with the combi steamer Silversteam P 7 x GN 1/1 thanks to added extra power. Thanks to the high power and the rack control function, the cooking spaces can be used to full capacity. Reduced cooking times, faster heating times, and easy handling speak for themselves.

Features

- Power load: 12,6 kW | 400 V | 50 Hz
- Material: CNS 18/10
- Equipment connection: 3 NAC
- Important information: From a water hardness of 5° d.H upwards, we urgently recommend fitting a suitable water softener and a water pressure of maximum 3 bar
- Temperature range: 50 °C to 300 °C
- Control unit: Touch
- Functions: Circulating air
Steam
Combi-steaming
Low temperature cooking
Delta-T cooking
Reversing motor direction (fan wheels)
Steam production by means of direct injection
- Rack control: Yes
- Continuous operation: Yes
- Vapour extractor: Yes

▶ Continue on the next page



- ▶ Combi steamer Silversteam P
- ✓ High power
- ✓ Up to 7 x GN 1/1 or 600 x 400 mm




- ▶ Rack control
- ✓ To enable the selection of a program for each shelf

- ▶ The benefits of the Silversteam series
- ✓ Faster heating and reheating times
- ✓ Up to 23 % reduction in cooking times
- ✓ Ideal for cooking spaces used to full capacity



- ▶ Electronic control with 600 programs (300 preinstalled, 300 programmable); up to 9 cooking phases per program



- ▶ Double door glazing, inner door can be opened easily for cleaning

Combi steamer Silversteam P-7111D

- Core temperature sensor connection: Side
- USB connection: Side
- Fan speed: 3 levels
- Number of cooking programs: 300 pre-installed programs
300 configurable programs
- Number of cooking phases: 9
- Type of drawers: Crosswise
- Number of drawers: 7
- Distance between trays: 74 mm
- Water connection: 3/4"
- Time adjustment: 0 to 599 minutes
- Material cooking chamber: CNS 18/10
- Number of fans: 2
- Properties:
 - Rounded baking chamber
 - Bearing rails can be detached
 - Double-winged door pane
 - LED lighting in door
 - Socket (500 W) for connection of an extractor hood
 - Faster heating and reheating times
 - Up to 23 % reduction in cooking times
 - Ideal for cooking spaces used to full capacity
- LED display:
 - Steaming
 - Delta-T cooking
 - Cooking phases
 - Core temperature
 - Fan speed
 - Program
 - Temperature
 - Time
- Including:
 - 1 grille 1/1 GN
 - 1 tray 1/1 GN
 - 1 water supply hose
- Available on request: -
- Control lamp: -
- Series: Silversteam
- Temperature control: Stepless
- Interior lighting: Yes
- Format drawers: 1/1 GN
- Operating mode: 600 x 400 mm
- With cleaning system: Electro
- Size: No
- Weight: W 879 x D 817 x H 853 mm
- Weight: 106.6 kg



Combi steamer Silversteam P-7111D

Add on Products

Base unit Silversteam 110

CNS
18/10




- Number of drawers: 10
- Colour: Silver
- Format drawers: 1/1 GN
- Height-adjustable feet: Yes
- Base shelf: No
- Material: CNS 18/10
- Important information: -

Code-No. 115069
GTIN 4015613602486

Base unit Silversteam 6040

CNS
18/10



- Material: CNS 18/10
- Colour: Silver
- Type of drawers: Longitudinal
- Number of drawers: 10
- Format drawers: 1/1 GN
600 x 400 mm
- Base shelf: No

Code-No. 115079
GTIN 4015613682051

Core temperature sensor set 1KA

STAINLESS
STEEL



- Set comprises: 1 core temperature sensor
1 holder
- Length cable: 1,8 m
- Material temperature sensor: Stainless steel
- Important information: -
- Designed for: Combi steamers series Silversteam
- Size: W 180 x D 265 x H 25 mm

Code-No. 116009
GTIN 4015613595139

Pump set f. combi steamer



- Set comprises: 1 plastic canister (5 litres)
1 pump
1 supply hose: canister - pump (150 cm)
1 supply hose: pump - steaming pipe (80 cm)
Installation material
- Important information: -
- Material: Plastic

Code-No. 116011
GTIN 4015613595146

Combi steamer Silversteam P-7111D

Add on Products

Hand shower f. combi steamer




- Length hose: 2 m
- Properties: Shutoff valve for fixed connection to water supply 1/2"
- Including: 1 holder
- Important information: -
- Water connection: 1/2"
- Material: Plastic

Code-No. 116005
GTIN 4015613587189

Connection kit Silversteam

STAINLESS
STEEL



- Set comprises: 1 frame
1 pipe and holding plate for vapour extraction
1 connection hose
4 feet
Attachment circlips
Screws
- Size frame: W 876 x D 622 x H 114 mm

Code-No. 116012
GTIN 4015613607078

Extractor hood Silversteam



CNS



- Motor Power: 100 m3/h to 540 m3/h
- Power load: 0,1 kW | 230 V | 50 Hz
- Available on request: -
- Lighting: -
- Material filter: Stainless steel
- Including: -
- Lamps (number + watt): -

Code-No. 116016
GTIN 4015613620503

Base unit Silversteam 2-110

CNS



- Type of drawers: Longitudinal
- Number of drawers: 6
- Height adjustable: 400 mm to 450 mm
- Colour: Silver
- Format drawers: 1/1 GN
- Base shelf: No
- Material: Chrome-nickel steel

Code-No. 115071
GTIN 4015613617589

Combi steamer Silversteam P-7111D

Add on Products

Tray 1/1GN, 20 mm

CNS
18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101185
GTIN 4015613271729

GN container, 1/1, D65

CNS
18/10



- Content: 9 litre(s)
- Stackable: Yes
- Design: No perforation
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 65 mm

Code-No. A121065
GTIN 4016098162755

GN container, 1/1, D100, perforated

CNS
18/10




- Content: 14 litre(s)
- Stackable: Yes
- Design: With perforation (holes)
- Reinforced edge: No
- Properties: -
- Surface: High-gloss
- Depth container: 100 mm

Code-No. A101100
GTIN 4016098175236

GN grid 1/1, SS

CNS
18/10



- Gastronorm: 1/1 GN
- Material: CNS 18/10
- Important information: -
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091
GTIN 4016098175250

Combi steamer Silversteam P-7111D

Add on Products

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Manual cleaning of heavily soiled surfaces

Code-No. 173278
GTIN 4015613767918

Intensive power cleaner F1L



- Order quantity unit: 1 box (6 bottles)
- Content: 6 x 1 litre
- Model: Liquid
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Designed for: Use in kitchens and food processing areas

Code-No. 173280
GTIN 4015613761183

Combi steamer Silversteam P-7111D

Add on Products

Smoker-Box 1160



STAINLESS
STEEL



- Comprising: Mains adapter
Smoker-Box
- Volume: 1,16 litre(s)
- Dimensions Smoker-Box: W 125 x D 470 x H 75 mm
- Suitable fuel: Standard smoker materials
- ON/OFF switch: Yes
- Power load: 0,2 kW | 230 V | 50/60 Hz

Code-No. 117712
GTIN 4015613779195

Cooking basket 110

STAINLESS
STEEL



- Gastronorm: 1/1 GN
- Size basket: W 490 x D 275 x H 50 mm
- Content: 7 litre(s)
- Material: Stainless steel
- Important information: -
- Size: W 536 x D 326 x H 61 mm
- Weight: 1.1 kg

Code-No. 900300
GTIN 4015613788111