

## Stock-pot stove G-WB 1K1250 XL



- ▶ Wart burner
  - ✓ Connected load: 12.5 kW
  - ✓ Gas type: Propane gas
  - ✓ Natural gas nozzles H and L are enclosed
- ▶ Pot diameter min.: 280 mm
- ▶ Load-bearing capacity: 70 kg

### Description

Stool cooker in an XXL format: This stool cooker stands out thanks to its user-friendly work height and solid design. It is also extremely flexible thanks to its low weight.

### Features

- Load-bearing capacity max.: 70 kg
- Material: CNS 18/10  
Cast ribbed frame
- Gas type: Liquid gas  
Natural gas nozzles H and L are enclosed
- Gas burner: Wart burner
- Power: 12,5 kW
- Important information: The pot diameter must be at least 28 cm  
A pressure reducer of max. 50 mbar is necessary
- Ignition type: Manual ignition
- Operating mode: Gas
- Ignition guard: Yes
- Properties: Collection tray below the burner
- Pilot flame: Yes
- Number of hobs: 1
- Output hob(s) max.: 12500 W
- Control unit: Toggle

▶ Continue on the next page

## Stock-pot stove G-WB 1K1250 XL

- Size: W 590 x D 680 x H 820 mm
- Weight: 31 kg



## Stock-pot stove G-WB 1K1250 XL

### Add on Products

#### Gas connection set GW-AI



- Suitable for commercial use: Yes
- Important information: -
- Can be used in: Inner and outer area
- Size: W 64 x D 61 x H 27 mm
- Weight: 1.3 kg

Code-No. 500180  
GTIN 4015613586557