

## Induction cooker IK 35TC



- ▶ Power: 3.5 kW
- ▶ Hob material: Glass
- ▶ Touch control panel with digital display

### Description

The hob of the induction cooker IK 35TC can be operated with an impressive power of up to 3,500 watts. The intuitive touch controls can be used to adjust the power, temperature and time really easily and conveniently.

### Features

- Temperature range: 60 °C to 240 °C
- Number of temperature levels: 10
- Power load: 3,5 kW | 230 V | 50/60 Hz
- Equipment connection: Pluggable
- Control unit: Electronic
- Control unit: Touch
- Number of hobs: 1
- Type of hobs: Induction
- Overheating protection: Yes
- Digital display: Yes
- ON/OFF switch: Yes
- Number of output levels: 10
- Properties: -
- Material hob: Glass
- Regulation of: Output  
Temperature  
Time

▶ Continue on the next page

## Induction cooker IK 35TC

- Material: Stainless steel
- Output hob(s) max.: 3500 W
- Colour: Silver  
Black
- Important information: The platform 200 KST3240 Plus is required for use in the cooking station KST3240 Plus
- Intervals time setting: 1 minute / 10 minutes
- Time adjustment: 0 to 180 minutes
- Intervals temperature setting: 20 °C
- Diameter hob(s): 228 mm
- Control lamp: ON/OFF  
Output  
Temperature  
Time
- Size cerane surface: W 285 x D 285 mm
- Can be installed: No
- Pot recognition: Yes
- Lock button (child protection): No
- Core temperature sensor: No
- Size: W 340 x D 445 x H 117 mm
- Weight: 7.5 kg



## Induction cooker IK 35TC

### Add on Products

#### Platform 200 KST Plus

CNS  
18/10



- Important information: -
- Material: CNS 18/10
- Size: W 400 x D 595 x H 200 mm
- Weight: 7.4 kg

Code-No. 107277  
GTIN 4015613684659

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926