

Electric range 700, B1200, 6PL, EBO



Description

Simply indestructible and thought through down to the last detail – Series 700 Classic. The professional series made of sturdy stainless steel 18/10 forms the basis for every large kitchen. Reliable, user-friendly and high-performance - thanks to the modular design, the devices can be tuned to individual needs.


Features

| | |
|-----------------------------|-----------------------------|
| • Oven connected load: | 3.65 kW |
| • Power load: | 19,25 kW 400 V 50/60 Hz |
| • Type: | Upright unit |
| • Material: | CNS 18/10 |
| • Temperature range: | 100 °C to 300 °C |
| • Important information: | - |
| • Equipment connection: | 3 NAC |
| • Height-adjustable feet: | Yes |
| • Number of drawers: | 3 |
| • Properties: | - |
| • Distance between trays: | 90 mm |
| • Distribution of hobs: | 6 x 2.6 kW |
| • Material cooking chamber: | Stainless steel |
| • Size hobs: | 6 x Ø 220 mm |
| • Oven functions: | Circulating air |
| • Including: | - |
| • Oven type: | Electro |

▶ Continue on the next page



- ▶ 6 hobs
- ✓ Size of hobs: Ø 220 mm
- ✓ Distribution of hobs: 6 x 2.6 kW



- ▶ Multifunction oven
- ✓ Function: circulating air
- ✓ Volume: 58 litres
- ✓ Gastronorm: 1/1 GN



- ▶ Sub-counter with leaf door
- ✓ Dimensions: W 350 x D 600 x H 400 mm



Electric range 700, B1200, 6PL, EBO

- Series: 700
- Oven volume: 58 litre(s)
- Operating mode: Electro
- Gastronorm: 1/1 GN
- Type of hobs: Electro
- Size oven: W 535 x D 370 x H 290 mm
- Number of hobs: 6
- Oven properties: -
- Sub-counter unit type: Leaf door
- Size base unit: W 350 x D 600 x H 400 mm
- Vapour extractor: Yes
- Multifunctional oven: Yes
- Height adjustable: 850 mm to 900 mm
- Size: W 1,200 x D 700 x H 850 mm
- Weight: 112.8 kg




Electric range 700, B1200, 6PL, EBO

Add on Products

GN grid 1/1, SS

CNS 18/10



- Material: CNS 18/10
- Important information: -
- Gastronorm: 1/1 GN
- Norm: EN 631
- Series: Top Line
- Size: W 325 x D 530 x H 10 mm
- Weight: 0.95 kg

Code-No. A101091
GTIN 4016098175250

Tray 1/1GN, 20 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 20 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101185
GTIN 4015613271729

Tray 1/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101186
GTIN 4015613271736

Tray 1/1GN, 65 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 1/1 GN
- Material: CNS 18/10

Code-No. A101187
GTIN 4015613271743

Electric range 700, B1200, 6PL, EBO

Add on Products

Grill plate



- Gastronorm: 1/1 GN
- Roasting surface design: Diamond patterned
- With juice groove: Yes
- Material: Cast aluminium
- Important information: -
- Size: W 530 x D 325 x H 15 mm
- Weight: 2.8 kg

Code-No. 106576
GTIN 4015613660783

Thermometer D3000 KTP

STAINLESS
STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043
GTIN 4015613664255

Cooking pergament 1/1 GN



- GN-capable: Yes
- Material: Paper
- Important information: -
- Order quantity unit: 1 box (500 sheets)
- Format per sheet: 1/1 GN, W 530 x D 325 mm
- Heat resistant to: 220 °C
- Size: W 530 x D 325 x H 1 mm

Code-No. 150687
GTIN 4015613711423

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Electric range 700, B1200, 6PL, EBO

Add on Products

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Properties: With flame protection
Fabric density: 640 g/m²
With hanger
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500511
GTIN 4015613735474

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500512
GTIN 4015613735481

Electric range 700, B1200, 6PL, EBO

Add on Products

Oven gloves 600



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Material: Cotton 100 % (exterior)
- Colour: Black
- Important information: Do not wash to maintain flame protection
- Can be washed: No

Code-No. A500513
GTIN 4015613735498


Perforated tray 1/1-SI



- Diameter perforation: 3 mm
- Important information: -
- Material: Aluminium
- Gastronorm: 1/1 GN
- Silicone coating: Yes
- Material thickness: 1,5 mm
- Perforation: Yes

Code-No. 100428
GTIN 4015613734767

Perforated tray 1/1-AL



- Diameter perforation: 3 mm
- Gastronorm: 1/1 GN
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: Yes
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100427
GTIN 4015613734750

Baking tray 1/1-AL



- Gastronorm: 1/1 GN
- Edge: 4 sides, cover
- Silicone coating: No
- Material thickness: 1,5 mm
- Perforation: No
- Temperature resistant to: 260 °C
- Material: Aluminium

Code-No. 100426
GTIN 4015613734743