

## Automatic coffee machine KV1 Classic



### Description

Enjoy perfect coffee specialities at the push of a button. Espresso, cappuccino, latte macchiato, hot water or milk - up to 6 different beverages can be individually set. With its particularly large bean and residues container, the coffee machine is also ideally suited for larger coffee quantities and thus for use in cafés, breakfast rooms and offices.

### Features

- Material: Plastic
- Control lamp: ON/OFF
- Colour: Black  
Silver
- ON/OFF switch: Yes
- Brewing group(s): 1
- Important information: A pressure reducer is required from a water pressure of 3 bar  
This coffee machine has wearing parts  
Provided the coffee machine is properly maintained, it can generally be assumed that the following wearing parts will last up to the specified reference quantity of drinks  
Brewing unit: 50,000 poured drinks  
Pump, Drainage valve, grinding mechanism and seals: 25,000 poured drinks
- Design: Complete machine
- Minimum brewing quantity: 25 ml
- Designed for: 80 cups / day

▶ Continue on the next page



- ▶ Max. output.: 60 cups of 120 ml / hour (double cup outlet)
- ▶ Residues container capacity: Approx. 35 cups



- ▶ 6 programs, individually adjustable
- ▶ Cup counter
- ▶ Hot water function
- ▶ Decalcification signal



- ▶ Height-adjustable outlet



- ▶ Milk frother
- ✓ Milk supply: Tube
- ▶ Fixed connection to water supply
- ▶ Detachable water tank
- ✓ Content: 1.8 L

## Automatic coffee machine KV1 Classic



- Properties: Milk temperature can be regulated via milk hose  
Base plate with cutout for automatic ejection of slops (in conjunction with the slops ejector shaft KV1 - available as an option)
- Including: 1 milk hose, 50 cm  
1 milk hose with flow controller, 50 cm  
1 water supply hose, 150 cm
- Output max.: 40 cups of 120 ml / hour (single cup outlet)  
60 cups of 120 ml / hour (double cup outlet)
- Power load: 2,7 kW | 230 V | 50/60 Hz
- Number of bean containers: 1
- Content bean container: 1.000 g
- Bean-/topping containers lockable: No
- Detachable bean/topping containers: No
- Cup counter: Per program and total
- Decalcification signal: Yes
- Filling level display: yes
- Control unit: Electronic
- IoT-capable: -
- Setting possibilities: 5 grinding levels  
Coffee dosing  
Water quantity  
Water temperature
- Water supply: Water tank  
3 options  
Water supply via external container  
Fixed connection to water supply  
Fixed connection to water supply 1/2"
- Water connection: 1,8 litre(s)
- Water tank capacity: Yes
- Detachable water tank: No
- Milk container: No
- Milk supply: External via tube  
Flow rate can be regulated (temperature regulation)
- Programs: 6, individually adjustable
- Hot water function: yes
- Hot milk function: Yes
- Grinding mechanism: Cone grinder
- Grinder material: Steel
- Pressure system: Piston pressure
- Pump pressure: 19 bar
- USB connection: No
- Milk frother: yes
- Height-adjustable outlet: 100 - 160 mm
- Cleaning program: yes
- Display: Fault messages  
Programs  
Status  
Maintenance info
- Automatic turn-off: Yes
- Residues container capacity: Approx. 35 cups
- Residues container dishwasher-suitable: Yes
- Ground coffee option: Individual cups  
Manual 5 - 14 g
- Multi cups: Yes
- Size: W 305 x D 550 x H 580 mm
- Weight: 17.4 kg

## Automatic coffee machine KV1 Classic

### Add on Products

#### Water filter system K1600 EW



- Output capacity: 1,600 litres / at 10° KH (carbonate hardness)
- Material: Plastic
- Important information: -
- Design: Disposable system  
For horizontal and vertical installation
- Properties: -
- Water connection: 1/2"

Code-No. 109881  
GTIN 4015613630731

#### Cups warmer 48 cups



- Diameter cups max.: 90 mm
- Power load: 0,2 kW | 230 V | 50 Hz
- Material: Aluminium
- Important information: -
- Size Cupholder: Ø 95 mm | Height: 300 mm
- Temperature range: 30 °C to 45 °C
- ON/OFF switch: Yes

Code-No. 103067  
GTIN 4015613469218

#### Partial desalination system TKD 13400 FB



- Desalination type: Partial desalination
- Water connection: 3/4"
- Material: Plastic  
Glass-fibre reinforced
- Sampling tap: Yes
- Colour: Blue
- Important information: -

Code-No. 109878  
GTIN 4015613681597

#### Cup warmer TA720



- Power load: 0,14 kW | 230 V | 50/60 Hz
- Capacity cups max.: 72
- Material: Stainless steel
- Important information: -
- ON/OFF switch: Yes
- Temperature range to: 60 °C

Code-No. 103076  
GTIN 4015613708867

## Automatic coffee machine KV1 Classic

### Add on Products

#### Dregs ejector chute KV1



- Material: Plastic
- Important information: -
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort  
The dregs are disposed of directly into the waste bin
- Size: W 80 x D 155 x H 160 mm

Code-No. 190060  
GTIN 4015613735658

#### Water drain hose KV1



- Length: 1,5 m
- Properties: Can be used with the dregs container and ejector chute KV1
- Material: Rubber (NBR)
- Important information: -
- Designed for: Bartscher fully automatic coffee machines KV1 Classic and KV1 Comfort

Code-No. 190068  
GTIN 4015613735696

#### Water filter KV1



- Material: Plastic

Code-No. 109865  
GTIN 4015613747798

#### Cup warmer TA1440



- Size utility space: W 285 x D 335 mm
- Height inside, each: 180 mm
- Power load: 0,3 kW | 230 V | 50 Hz
- Temperature range: 30 °C to 60 °C
- ON/OFF switch: Yes
- Important information: -

Code-No. 103079  
GTIN 4015613756837

## Automatic coffee machine KV1 Classic

### Add on Products

#### Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines  
Fully automatic coffee  
Thermal jugs  
Espresso machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form

Code-No. 173283  
GTIN 4015613773377

#### Cleaning tabs KV-20



- Order quantity unit: 1 sales display unit (20 retail packs)
- Designed for: Coffee machines  
Fully automatic coffee  
Thermal jugs  
Espresso machines
- Content: 20 x 2 blister packs with 10 cleaning tabs
- Model: Tab form

Code-No. 173283V  
GTIN 4015613800110

#### Pressure regulator



- Material: Brass  
Chrome-plated
- Important information: -
- Water pressure: 1 - 6 bar (preset to 3 bar)
- Connection: 3/4"
- Operating temperature max.: 65 °C
- Incoming pressure max.: 16 bar

Code-No. 533051  
GTIN 4015613468617

#### Milk refrigerator KV9L



- Material: Steel plate  
Glass
- Material inside: Plastic
- Colour: Black
- Important information: Tube feeds are closed upon delivery
- Content: 9 litre(s)
- Size inside: W 160 x D 190 x H 280 mm

Code-No. 190089  
GTIN 4015613831480

## Automatic coffee machine KV1 Classic Add on Products

### Water filter system K1500L EW



- Output capacity: 1,500 litres / at 10° KH (carbonate hardness)
- Designed for: Coffee machines
- Design: Disposable system  
For horizontal and vertical installation
- Material: Polypropylene
- Important information: -

Code-No. 109879  
GTIN 4015613710891

### Water filter system K3600L



- Water connection: 3/8"
- Water pressure: 3 bar
- Colour: White
- Water intake temperature from: 2 °C
- Water intake temperature to: 30 °C
- Designed for: Coffee machines  
Combined steamer

Code-No. 109847  
GTIN 4015613743899