

Gas stove, 6BR, gsO 2/1GN, NS



Description

The 900 Master series and its high-quality and solid stainless steel version in CNS 18/10 is the ideal choice for modern professional kitchens with high standards. First-rate, flexible and high-performance.

Features

• Temperature range:	60 °C to 300 °C
• Type:	Upright unit
• Material:	CNS 18/10
• Gas type:	Natural gas H (20 mbar) Liquid gas (50 mbar) and natural gas nozzles L (20 mbar) are enclosed
• Gas burner:	Two-circle burner
• Important information:	-
• Power:	45,5 kW
• Height-adjustable feet:	Yes
• Ignition type:	Manual ignition
• Properties:	Hobs with removable collection tray
• Distribution of hobs:	1 x 3,5 kW, 2 x 5 kW, 3 x 8 kW
• Oven properties:	Ignition type: Piezo ignition
• Including:	-
• Multifunctional oven:	No
• Series:	900
• Oven type:	Gas

▶ Continue on the next page



- ▶ 6 hobs
 - ✓ 1 x 3.5 kW
 - ✓ 2 x 5 kW
 - ✓ 3 x 8 kW



- ▶ Gas oven
 - ✓ Output: 8 kW
 - ✓ Format: 2/1 GN
 - ✓ Dimensions: W 655 x D 550 x H 300 mm
- ▶ Neutral cabinet
 - ✓ Dimensions: W 345 x D 835 x H 470 mm



- ▶ Optimum performance by means of a two-circle hob



- ▶ Easy cleaning
 - ✓ Hobs with removable collection tray
- ▶ Simple operation: very large toggles with a good grip and legible labels

Gas stove, 6BR, gsO 2/1GN, NS

- Operating mode: Gas
- Type of hobs: Gas
- Number of hobs: 6
- Oven connected load: 8 kW
- Size oven: W 655 x D 550 x H 300 mm
- Sub-counter unit type: Leaf door
- Size base unit: W 345 x D 835 x H 470 mm
- Gastronorm: 2/1 GN
- Height adjustable: 900 mm to 950 mm
- Size: W 1,200 x D 900 x H 900 mm
- Weight: 195.9 kg



Gas stove, 6BR, gsO 2/1GN, NS

Add on Products

Grill plate 900-R



- Roasting surface design: Ribbed
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 390 x D 390 x H 17 mm
- Weight: 10.6 kg

Code-No. 296051
GTIN 4015613676920

Frying plate 900-G



- Roasting surface design: Smooth
- With juice groove: Yes
- Material: Cast iron
- Important information: -
- Size: W 390 x D 390 x H 19 mm
- Weight: 10.8 kg

Code-No. 296056
GTIN 4015613676937

Support ring for small pots



- Important information: -
- Size: W 260 x D 260 x H 18 mm
- Weight: 0.3 kg

Code-No. 296086
GTIN 4015613676906

Swivel castors 4S900



- Swivel castors: 4 swivel castors, 2 with brake
- Diameter castors: 125 mm
- Load-bearing capacity max., each: 100 kg
- Material: Plastic
Rubber coated
- Important information: -

Code-No. 295088
GTIN 4015613680804

Gas stove, 6BR, gsO 2/1GN, NS

Add on Products

Tray 2/1GN, 20 mm

CNS 18/10



- Important information: -
- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Depth container: 20 mm
- Gastronorm: 2/1 GN
- Content: 6,9 litre(s)

Code-No. A101181
GTIN 4015613271699

Tray 2/1GN, 40 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 40 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101182
GTIN 4015613271705

Tray 2/1GN, 65 mm

CNS 18/10



- Stackable: Yes
- Design: No perforation
- Reinforced edge: Yes
- Properties: -
- Depth container: 65 mm
- Gastronorm: 2/1 GN
- Material: CNS 18/10

Code-No. A101183
GTIN 4015613271712

Thermometer D3000 KTP

STAINLESS STEEL



- Control unit: Electronic
- Puncture depth: 120 mm
- Application area: Canteens
Refrigeration cell
Freezer cell
Refrigerated rooms
- Temperature range: -50 °C to 300 °C

Code-No. 293043
GTIN 4015613664255

Gas stove, 6BR, gsO 2/1GN, NS

Add on Products

Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid
High concentrate
- Ph level: 13,5

Code-No. 173078
GTIN 4015613731926

Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080
GTIN 4015613731933

Oven gloves 300



- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 300 mm
- Properties: With flame protection
With hanger
Fabric density: 640 g/m²

Code-No. A500510
GTIN 4015613735467

Oven gloves 370



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 370 mm

Code-No. A500511
GTIN 4015613735474

Gas stove, 6BR, gsO 2/1GN, NS

Add on Products

Oven gloves 420



- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 420 mm

Code-No. A500512
GTIN 4015613735481

Oven gloves 600




- Properties: With flame protection
With hanger
Fabric density: 640 g/m²
- Colour: Black
- Can be washed: No
- Heat resistant to: 250 °C
- Length: 600 mm

Code-No. A500513
GTIN 4015613735498

Kitchen rail 900-1200

STAINLESS
STEEL



- Material: Stainless steel
- Load-bearing capacity max.: 15 kg
- Depth of surface: 60 mm
- Including: 1 drilling template
Attachment material
Building kit
- Important information: Building kit
- Size: W 1,190 x D 95 x H 40 mm

Code-No. 295203
GTIN 4015613850283