

## Gas boiling kettle, 700, 55L



### Description

### Features

- Gas type: Natural gas H  
Liquid gas and natural gas L-nozzles are enclosed
- Height-adjustable feet: Yes
- Control unit: Toggle
- Water connection: 1/2"
- Content: 55 litre(s)
- Available on request: -
- Control lamp: Heat up  
ON/OFF
- Height adjustable: 850 mm to 900 mm
- Useful content: 50 litre(s)
- Size kettle: Ø 400 mm | Height: 450 mm
- Heating type: Indirect
- Properties: Automatic filling level check
- Drain cock: Yes
- Material boiler: CNS 18/10
- Temperature control: 2 levels

▶ Continue on the next page

## Gas boiling kettle, 700, 55L

- Operating mode: Gas
- Material: CNS 18/10
- Important information: Exhaust chimney is only necessary if the unit does not stand below an extractor hood
- Power: 15,5 kW
- Series: 700
- Size: W 800 x D 700 x H 850 mm
- Weight: 92 kg



## Gas boiling kettle, 700, 55L

### Add on Products

#### Power cleaner F1L, set of 2



- Designed for: Stubborn dirt, especially in kitchens  
Grill and combi steamer cleaning (without cleaning system)
- Content: 2 x 1 litre
- Model: Liquid  
High concentrate
- Ph level: 13,5

Code-No. 173078  
GTIN 4015613731926

#### Intensive power cleaner F1L, set of 2



- Order quantity unit: 1 box (2 bottles)
- Content: 2 x 1 litre
- Ph level: 14
- HACCP compliant: Yes
- Chlorine-free: Yes
- Phosphate-free: Yes
- Including: 1 spray head

Code-No. 173080  
GTIN 4015613731933