

Drawer chiller 600S2



- ▶ Number of drawers: 2
- ▶ Maximum bottle height:
 - ✓ Top 275 mm
 - ✓ Bottom 275 mm
- ▶ Load-bearing capacity per drawer: 20 kg
- ▶ Top drawer has perforated base

Description

This drawer chiller has 2 drawers and can be integrated with other units, making it ideal for installation between cabinets in cafés and bars. The circulation cooling and perforated base of the top drawer ensure even temperature distribution.

Features

- Load-bearing capacity of each drawer, max: 20 kg
- Number of drawers: 2
- Material: Stainless steel
- Max. bottle height: 275 mm
- Important information: -
- Drawer dimensions: Bottom: W 440 x D 250 mm
Top: W 440 x D 440 mm
- Norm-format drawers: -
- Temperature range: 0 °C to 10 °C
- Thermostat: Yes
- Temperature control: In 1 °C steps
- Can be installed: Yes
- Cooling: Circulating air
- Climate class: 4
- Coolant: R290 / 0,040 kg
- Energy efficiency class: D (EU Nr. 2015 / 1094)
- Energy consumption: 1095 kWh / an

▶ Continue on the next page

Drawer chiller 600S2

• Drip water evaporation:	Yes
• Digital display:	Yes
• Control unit:	Electronic
• ON/OFF switch:	No
• Control lamp:	-
• Delivery state:	Permanently mounted
• Properties:	Top drawer has perforated base
• Including:	-
• Not included in delivery:	-
• Power load:	0,167 kW 230 V 50 Hz
• Size:	W 600 x D 645 x H 845 mm
• Weight:	50.8 kg



Drawer chiller 600S2 Add on Products

Stainl.steel polish.spray 500ml can



- Content / can: 500 ml
- Application: Remove heavy soiling such as grease residue first
Do not spray onto hot surfaces
- allow them to cool down first:

Code-No. 173031
GTIN 4015613360195